



COMMONWEALTH OF MASSACHUSETTS  
EXECUTIVE OFFICE OF  
ENERGY AND ENVIRONMENTAL AFFAIRS  
**DEPARTMENT OF ENERGY RESOURCES**

100 CAMBRIDGE ST., SUITE 1020  
BOSTON, MA 02114

Internet: [www.Mass.Gov/DOER](http://www.Mass.Gov/DOER)  
Email: [Energy@State.MA.US](mailto:Energy@State.MA.US)

**Deval L. Patrick**  
Governor

**Timothy P. Murray**  
Lieutenant Governor

**Ian A. Bowles**  
Secretary, Executive Office of Energy  
and Environmental Affairs

**Philip Giudice**  
Commissioner

TELEPHONE  
617-727-4732

FACSIMILE  
617-727-0030  
617-727-0093

July 10, 2008

Paul Pabor  
Vice President  
WM Renewable Energy, L.L.C.  
1001 Fannin, Suite. 4000  
Houston, TX 77002

**RE: RPS Eligibility Decision**  
**High Acres**  
**9.6 MW in Fairport, NY [LG-1094-08]**

Dear Mr. Pabor,

On behalf of the Department of Energy Resources (the Department), I am pleased to inform you that your Statement of Qualification Application for the High Acres landfill energy project, pursuant to the Massachusetts Renewable Energy Portfolio Standard (RPS) Regulations, 225 CMR 14.00, is hereby approved. The Department finds that the Generation Unit meets the requirements for eligibility as a New Renewable Generation Unit pursuant to 225 CMR 14.05.

Qualification of this Generation Unit is, however, subject to certain conditions that are detailed in the enclosed Statement of Qualification. Those conditions are based on provisions of the RPS Regulations at 225 CMR 14.05(5) that pertain to any Generation Unit that is located outside of the ISO New England Control Area. Those conditions include, but are not limited to, providing for the Department's review of any successor contracts to those referenced in paragraph five of the Statement of Qualification.


Each Massachusetts New Renewable Generation Unit is also assigned a unique Massachusetts RPS Identification Number (MA RPS ID#). The MA RPS ID # stated on the Statement of Qualification must be included in all correspondence with the Department. High Acre's MA RPS ID# is **LG-1094-08**

The Department wishes to remind you of the notification requirements for changes in eligibility status contained in 225 CMR 14.06(3). The Owner or Operator of the Generation Unit shall submit notification of such changes to the Department no later than five days following the end of the month during which such changes were implemented. Also please inform the Department of any changes in capacity, contact information, and identity of the Owner or Operator. Note that any changes in contract terms related to sale and export of the electrical output will be subject to prior DOER review for continued eligibility.

Finally, the Department wishes to remind you to be cognizant of the Operating Rules and the reporting requirements of the NEPOOL GIS, including emissions reporting, which may be amended from time to time. Compliance with those rules can affect the RPS qualification of your Generation Unit's GIS certificates.

If you have any questions or concerns about the Statement of Qualification or any aspect of the RPS program, please contact Howard Bernstein, RPS Program Manager, at the Department's address, or (617) 727-4732, ext. 40155, or [howard.bernstein@state.ma.us](mailto:howard.bernstein@state.ma.us). Thank-you.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert Sydney", with a stylized flourish at the end.

Robert Sydney  
General Counsel

Encl: Statement of Qualification

**COMMONWEALTH OF MASSACHUSETTS  
EXECUTIVE OFFICE OF ENERGY AND ENVIRONMENTAL AFFAIRS  
DEPARTMENT OF ENERGY RESOURCES**

**Statement of Qualification**

**Pursuant to the Renewable Energy Portfolio Standard  
225 CMR 14.00**

This Statement of Qualification, provided by the Massachusetts Department of Energy Resources (the Department), signifies that the Generation Unit identified below meets the requirements for eligibility as a New Renewable Generation Unit, pursuant to the Renewable Energy Portfolio Standard 225 CMR 14.05, as of the approval date of the Application for Statement of Qualification, this **10<sup>th</sup> day of July 2008**.

Generation Unit Name, Location, and Capacity:

**High Acres**  
Fairport, NY  
9.6 MW

Authorized Representative's Name and Address:

Paul Pabor  
Vice President  
WM Renewable Energy, L.L.C.  
1001 Fannin, Suite. 4000  
Houston, TX 77002

Qualification of this Generation Unit is subject to the following provisions:

1. The Unit's Historical Generation Rate is determined to be **16,520 MWh**. Only that portion of the electrical energy output of the Generation Unit in each calendar year that exceeds the Unit's Historical Generation Rate will qualify as New Renewable Generation under the RPS Regulations at 225 CMR 14.05(2). During each calendar year, the Unit's Owner or Operator shall inform the Department and the NEPOOL GIS Administrator of the date on which the Unit's electrical energy output has exceeded its Historical Generation Rate, and shall provide thereof certification and documentation satisfactory to the Department, including a record of the Unit's output metered at the NYISO bus bar.
2. The portion of the total electrical energy output that qualifies as New Renewable Generation in a given time period shall meet the requirements of Rule 2.7 (c) of the NEPOOL GIS Operating Rules, or any successor rule, and the Generation Unit Owner, Operator, or authorized agent must provide the following:
  - (a) Documentation, satisfactory to the Department, of a contract or other legally enforceable obligation(s) ("Legal Obligation(s)") that is executed between the Generation Unit Owner, Operator, or authorized agent and an electrical energy purchaser located in the ISO-NE Control Area for delivery of the Unit's electrical energy to the ISO-NE Control Area. Such documentation shall also include proof

of associated transmission rights for delivery of the Unit's electrical energy from the Unit through the adjacent Control Area to the ISO-NE Control Area.

(b) Documentation, satisfactory to the Department, that:

1. the electrical energy delivered pursuant to the Legal Obligation was settled in the ISO-NE Settlement Market System;
  2. the Generation Unit produced, during each hour of the applicable month, the amount of MWhs claimed, as verified by the NEPOOL GIS administrator; if the originating Control Area employs a Generation Information System that is comparable to the NEPOOL GIS, such system may be used to support such documentation;
  3. the electrical energy delivered under the Legal Obligation received a North American Electric Reliability Council Tag (NERC Tag) confirming transmission from the originating Control Area to the ISO-NE Control Area; and
  4. the New Renewable Generation Attributes have not otherwise been, nor will be, sold, retired, claimed, used or represented as part of electrical energy output or sales, or used to satisfy obligations in jurisdictions other than Massachusetts.
3. The portion of the imported electrical energy output that qualifies as New Renewable Generation during each hour shall be the lesser of that hour's documented output metered at the NYISO bus bar or that hour's documented delivery into the ISO-NE Control Area.
4. The Generation Unit Owner, Operator, or authorized agent shall provide to the Department by July 1st of each year a certification that the Generation Unit's New Renewable Generation Attributes used for compliance with the Massachusetts Renewable Energy Portfolio Standard during the previous Compliance Year have not otherwise been, nor will be, sold, retired, claimed or represented as part of electricity output or sales, or used to satisfy obligations in jurisdictions other than Massachusetts.
5. Pursuant to Provision 2(a), above, the Department is in receipt of the following two contracts, which the Department has found to meet the requirements of said provision during the terms of the contracts: (1) a contract dated September 26, 2006, between Bio-Energy Partners and Constellation NewEnergy, Inc., for electrical energy of High Acres to be sold and delivered by the former to the latter until the end of December 31, 2008, along with the associated renewable generation attributes; and (2) a contract dated February 19, 2008, between WM Renewable Energy, LLC (formerly Bio-Energy Partners), and Constellation Energy Commodities Group, Inc., for electrical energy of High Acres II to be sold and delivered by the former to the latter until the end of December 31, 2010, along with the associated renewable generation attributes. The 2006 contract is for the output of engines at the High Acres facility in existence prior to 2008, installed variously between 1991 and 1999, while the 2006 contract is for the output of

four 1.6 MW engines (known as High Acres II) installed during the first calendar quarter of 2008. The Generation Unit Owner, Operator, or authorized agent shall provide for the Department's review the successors to each of the above-described contracts. If the Department receives said successor contracts and finds that they satisfy Provision 2(a), then the qualification of the electrical energy imports from the Unit that comply with all other provisions of this Statement of Qualification shall continue for the duration of such contracts. This procedure must be repeated for every successor contract unless and until the Department suspends or modifies this provision.


This Unit's NEPOOL GIS Identification Number is:

**IMP-32690**

This New Renewable Generation Unit is assigned a unique Massachusetts RPS Identification Number, listed below. Please include MA RPS ID #s on all correspondence with DOER.

**MA RPS ID #: LG-1094-08**

Pursuant to 225 CMR 14.06, the Owner, Operator, or authorized agent of the New Renewable Generation Unit is responsible for notifying the Department of any changes in the characteristics of the Generation Unit, or in its contractual rights and obligations relating to the sale and export of electrical energy to the ISO-NE control area, that could affect its eligibility status. The Owner, Operator, or authorized agent of the Generation Unit is also responsible for notifying the Department of any changes in the Unit's ownership, generation capacity, or contact information. The Department may suspend or revoke this Statement of Qualification if the Owner, Operator, or authorized agent of a New Renewable Generation Unit fails to comply with 225 CMR 14.00, including the provisions of this Statement of Qualification.

  
Philip Giudice  
Commissioner  
Department of Energy Resources

Date: 7/10/08

New York State Department of Environmental Conservation  
Facility DEC ID: 8990800162



**PERMIT**  
**Under the Environmental Conservation Law (ECL)**

**IDENTIFICATION INFORMATION**

Permit Type: Air Title V Facility  
Permit ID: 8-9908-00162/00043  
Effective Date: 06/07/2006 Expiration Date: 06/06/2011

Permit Issued To: WASTE MANAGEMENT OF NEW YORK LLC  
123 VARICK AVE  
BROOKLYN, NY 11237

Contact: JEFFREY KOCIAN  
WASTE MANAGEMENT OF NY  
425 PERINTON PKWY  
FAIRPORT, NY 14450

Facility: HIGH ACRES LANDFILL & RECYCLING CENTER  
425 PERINTON PKWY  
FAIRPORT, NY 14450

Contact: JEFFREY KOCIAN  
WASTE MANAGEMENT OF NY  
425 PERINTON PKWY  
FAIRPORT, NY 14450

**Description:**

Renewal of the Title V Facility Permit originally issued June 6, 2001. This renewal includes construction and operation of a beneficial use project consisting of four 2,233 horsepower reciprocating engines to combust gas from the existing permitted landfill area, construction and operation of a 181.7 MMBtu/hr HHV enclosed flare and deletion of an open candlestick flare.

Emission points at the landfill now include two enclosed flares, four landfill gas fueled 1,138 horsepower engines, four landfill gas fueled 2,233 horsepower engines and fugitive emissions from the landfill. The facility is currently subject to Title V permitting requirements because the facility's Potential to Emit Carbon Monoxide and Nitrogen Oxides exceeds the applicability threshold of 100 tons per year for a major stationary source.

Renewal 1/FINAL

**New York State Department of Environmental Conservation**  
**Facility DEC ID: 8990800162**



By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

Permit Administrator: KIMBERLY A MERCHANT  
6274 EAST AVON-LIMA RD  
AVON, NY 14414-9519

Authorized Signature: \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_



**Notification of Other State Permittee Obligations**

**Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification**

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

**Item B: Permittee's Contractors to Comply with Permit**

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

**Item C: Permittee Responsible for Obtaining Other Required Permits**

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

**Item D: No Right to Trespass or Interfere with Riparian Rights**

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.





**LIST OF CONDITIONS**

**DEC GENERAL CONDITIONS**

**General Provisions**

Facility Inspection by the Department

Relationship of this Permit to Other Department Orders and Determinations

Applications for Permit Renewals and Modifications

Permit Modifications, Suspensions and Revocations by the Department

**Facility Level**

Submission of Applications for Permit Modification or Renewal -REGION 8  
HEADQUARTERS



**DEC GENERAL CONDITIONS**

**\*\*\*\* General Provisions \*\*\*\***

**For the purpose of your Title V permit, the following section contains state-only enforceable terms and conditions**

**GENERAL CONDITIONS - Apply to ALL Authorized Permits.**

**Condition 1: Facility Inspection by the Department**  
**Applicable State Requirement: ECL 19-0305**

**Item 1.1:**

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

**Item 1.2:**

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

**Item 1.3:**

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

**Condition 2: Relationship of this Permit to Other Department Orders and Determinations**  
**Applicable State Requirement: ECL 3-0301.2(m)**

**Item 2.1:**

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

**Condition 3: Applications for Permit Renewals and Modifications**  
**Applicable State Requirement: 6NYCRR 621.13**

**Item 3.1:**

The permittee must submit a separate written application to the Department for renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing.

**Item 3.2:**

The permittee must submit a renewal application at least 180 days before expiration of permits for Title V Facility Permits, or at least 30 days before expiration of permits for State Facility Permits.

**Item 3.3:**

**New York State Department of Environmental Conservation**  
**Facility DEC ID: 8990800162**



Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

**Condition 4: Permit Modifications, Suspensions and Revocations by the Department**  
**Applicable State Requirement: 6NYCRR 621.14**

**Item 4.1:**

The Department reserves the right to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

- a) materially false or inaccurate statements in the permit application or supporting papers;
- b) failure by the permittee to comply with any terms or conditions of the permit;
- c) exceeding the scope of the project as described in the permit application;
- d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**\*\*\*\* Facility Level \*\*\*\***

**Condition 5: Submission of Applications for Permit Modification or Renewal -REGION 8 HEADQUARTERS**  
**Applicable State Requirement: 6NYCRR 621.5(a)**

**Item 5.1:**

Submission of applications for permit modification or renewal are to be submitted to:

NYSDEC Regional Permit Administrator  
Region 8 Headquarters  
Division of Environmental Permits  
6274 Avon-Lima Road  
Avon, NY 14414-9519  
(716) 226-2466

**New York State Department of Environmental Conservation**  
Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162



**Permit Under the Environmental Conservation Law (ECL)**

**ARTICLE 19: AIR POLLUTION CONTROL - TITLE V PERMIT**

**IDENTIFICATION INFORMATION**

Permit Issued To: WASTE MANAGEMENT OF NEW YORK LLC  
123 VARICK AVE  
BROOKLYN, NY 11237

Facility:            HIGH ACRES LANDFILL & RECYCLING CENTER  
                         425 PERINTON PKWY  
                         FAIRPORT, NY 14450

Authorized Activity By Standard Industrial Classification Code:  
4953 - REFUSE SYSTEMS  
5093 - SCRAP AND WASTE MATERIALS

Permit Effective Date: 06/07/2006

Permit Expiration Date: 06/06/2011



## LIST OF CONDITIONS

### FEDERALLY ENFORCEABLE CONDITIONS

#### Facility Level

- 1 6NYCRR 200.6: Acceptable Ambient Air Quality
- 2 6NYCRR 201-6.5(a)(7): Fees
- 3 6NYCRR 201-6.5(c): Recordkeeping and reporting of compliance monitoring
- 4 6NYCRR 201-6.5(c)(2): Monitoring, Related Recordkeeping, and Reporting Requirements.
- 5 6NYCRR 201-6.5(c)(3)(ii): Compliance Certification
- 6 6NYCRR 201-6.5(e): Compliance Certification
- 7 6NYCRR 202-2.1: Compliance Certification
- 8 6NYCRR 202-2.5: Recordkeeping requirements
- 9 6NYCRR 215: Open Fires Prohibited at Industrial and Commercial Sites
- 10 6NYCRR 200.7: Maintenance of Equipment
- 11 6NYCRR 201-1.7: Recycling and Salvage
- 12 6NYCRR 201-1.8: Prohibition of Reintroduction of Collected Contaminants to the air
- 13 6NYCRR 201-3.2(a): Exempt Sources - Proof of Eligibility
- 14 6NYCRR 201-3.3(a): Trivial Sources - Proof of Eligibility
- 15 6NYCRR 201-6.5(a)(4): Standard Requirement - Provide Information
- 16 6NYCRR 201-6.5(a)(8): General Condition - Right to Inspect
- 17 6NYCRR 201-6.5(d)(5): Standard Requirements - Progress Reports
- 18 6NYCRR 201-6.5(f)(6): Off Permit Changes
- 19 6NYCRR 202-1.1: Required Emissions Tests
- 20 6NYCRR 211.3: Visible Emissions Limited
- 21 40CFR 68: Accidental release provisions.
- 22 40CFR 82, Subpart F: Recycling and Emissions Reduction
- 23 6NYCRR 201-3.2(b): Exempt Activities - Maintenance of Control Equipment
- 24 6NYCRR 201-3.3(b): Trivial Activities - Maintenance of Control Equipment
- 25 6NYCRR 201-6: Emission Unit Definition
- 26 6NYCRR 201-6.5(f): Compliance Certification
- 27 6NYCRR 201-6.5(g): Non Applicable requirements
- 28 6NYCRR 202-1.2: Notification
- 29 6NYCRR 202-1.3(a): Acceptable procedures
- 30 6NYCRR 202-2.3: Required contents of an emission statement.
- 31 40CFR 60.4, NSPS Subpart A: EPA Region 2 address.
- 32 40CFR 60.7(a), NSPS Subpart A: Modification Notification
- 33 40CFR 60.7(b), NSPS Subpart A: Recordkeeping requirements.
- 34 40CFR 60.7(c), NSPS Subpart A: Compliance Certification
- 35 40CFR 60.7(d), NSPS Subpart A: Excess emissions report.
- 36 40CFR 60.7(e), NSPS Subpart A: Monitoring frequency waiver.
- 37 40CFR 60.7(f), NSPS Subpart A: Facility files for subject sources.
- 38 40CFR 60.7(g), NSPS Subpart A: Notification Similar to State or Local Agency

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



- 39 40CFR 60.8(a), NSPS Subpart A: Performance testing timeline.
- 40 40CFR 60.8(b), NSPS Subpart A: Performance Test Methods - Waiver
- 41 40CFR 60.8(b), NSPS Subpart A: Performance test methods.
- 42 40CFR 60.8(c), NSPS Subpart A: Required performance test information.
- 43 40CFR 60.8(d), NSPS Subpart A: Prior notice.
- 44 40CFR 60.8(e), NSPS Subpart A: Performance testing facilities.
- 45 40CFR 60.8(f), NSPS Subpart A: Number of required tests.
- 46 40CFR 60.9, NSPS Subpart A: Availability of information.
- 47 40CFR 60.11, NSPS Subpart A: Opacity standard compliance testing.
- 48 40CFR 60.12, NSPS Subpart A: Circumvention.
- 49 40CFR 60.14, NSPS Subpart A: Modifications.
- 50 40CFR 60.15, NSPS Subpart A: Reconstruction
- 51 40CFR 60.752(b)(2), NSPS Subpart WWW: Standards for air emissions  
from MSW landfills
- 52 40CFR 60.753(a), NSPS Subpart WWW: Operational standards for  
collection and control systems
- 53 40CFR 60.753(b), NSPS Subpart WWW: Compliance Certification
- 54 40CFR 60.753(c), NSPS Subpart WWW: Compliance Certification
- 55 40CFR 60.753(c), NSPS Subpart WWW: Compliance Certification
- 56 40CFR 60.753(d), NSPS Subpart WWW: Compliance Certification
- 57 40CFR 60.753(e), NSPS Subpart WWW: Compliance Certification
- 58 40CFR 60.753(f), NSPS Subpart WWW: Compliance Certification
- 59 40CFR 60.753(g), NSPS Subpart WWW: Compliance Certification
- 60 40CFR 60.754(d), NSPS Subpart WWW: Performance Test
- 61 40CFR 60.755(a), NSPS Subpart WWW: Compliance Provisions -  
collection system
- 62 40CFR 60.755(b), NSPS Subpart WWW: Compliance Provisions - wells
- 63 40CFR 60.755(c), NSPS Subpart WWW: Compliance Provisions - surface  
methane
- 64 40CFR 60.755(d), NSPS Subpart WWW: Compliance Provisions -  
instrumentation specifications
- 65 40CFR 60.755(e), NSPS Subpart WWW: Compliance Provisions - Start-up,  
shutdown, or malfunction
- 66 40CFR 60.756(a), NSPS Subpart WWW: Compliance Certification
- 67 40CFR 60.756(b), NSPS Subpart WWW: Compliance Certification
- 68 40CFR 60.756(f), NSPS Subpart WWW: Compliance Certification
- 69 40CFR 60.757(d), NSPS Subpart WWW: Reporting Requirements - Closure  
Report
- 70 40CFR 60.757(e), NSPS Subpart WWW: Reporting Requirements - Control  
Equipment Removal
- 71 40CFR 60.757(g), NSPS Subpart WWW: Reporting requirements -  
Collection and control system
- 72 40CFR 60.758(a), NSPS Subpart WWW: Compliance Certification
- 73 40CFR 60.758(b), NSPS Subpart WWW: Compliance Certification
- 74 40CFR 60.758(c), NSPS Subpart WWW: Compliance Certification
- 75 40CFR 60.758(d), NSPS Subpart WWW: Compliance Certification
- 76 40CFR 60.758(e), NSPS Subpart WWW: Compliance Certification

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



- 77 40CFR 60.759(a), NSPS Subpart WWW: Specifications for active collection systems
- 78 40CFR 60.759(c), NSPS Subpart WWW: Specifications for active collection systems
- 79 40CFR 61.154, NESHAP Subpart M: Asbestos-containing waste material standard for active waste disposal sites
- 80 40CFR 63.1955(b), Subpart AAAA: Compliance Certification
- 81 40CFR 63.1980(a), NESHAP Subpart AAAA: Compliance Certification
- Emission Unit Level**
- 82 6NYCRR 201-6: Emission Point Definition By Emission Unit
- 83 6NYCRR 201-6: Process Definition By Emission Unit

**EU=E-U0001**

- 84 6NYCRR 212.4(a): Emissions from new emission sources and/or modifications
- 85 6NYCRR 227-2.3(c): Compliance Certification

**EU=E-U0001,Proc=001**

- 86 6NYCRR 227-1.3(a): Compliance Certification
- 87 6NYCRR 227-2.4(f)(2)(iii): Compliance Certification
- 88 6NYCRR 227-2.4(f)(2)(iii): Compliance Certification
- 89 6NYCRR 227-2.6(c): Compliance Certification
- 90 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification
- 91 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification

**EU=E-U0001,Proc=007**

- 92 6NYCRR 212.6(a): Compliance Certification

**EU=E-U0001,Proc=007,ES=FLAR2**

- 93 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification
- 94 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification
- 95 40CFR 60.758(c), NSPS Subpart WWW: Compliance Certification

**EU=E-U0001,Proc=007,ES=FLAR3**

- 96 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification
- 97 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification
- 98 40CFR 60.758(c), NSPS Subpart WWW: Compliance Certification

**EU=E-U0001,Proc=008**

- 99 6NYCRR 227-1.3(a): Compliance Certification
- 100 6NYCRR 227-2.4(f)(2)(iii): Compliance Certification
- 101 6NYCRR 227-2.4(f)(2)(iii): Compliance Certification
- 102 6NYCRR 227-2.6(c): Compliance Certification
- 103 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification
- 104 40CFR 60.752(b)(2)(iii)(B), NSPS Subpart WWW: Compliance Certification

**STATE ONLY ENFORCEABLE CONDITIONS**

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Facility Level**

- 105 ECL 19-0301: Contaminant List
- 106 6NYCRR 201-1.4: Unavoidable noncompliance and violations
- 107 6NYCRR 211.2: Air pollution prohibited





**FEDERALLY ENFORCEABLE CONDITIONS**  
**\*\*\*\* Facility Level \*\*\*\***

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**  
The items listed below are not subject to the annual compliance certification requirements under Title V. Permittees may also have other obligations under regulations of general applicability.

**Item A: Emergency Defense - 6NYCRR Part 201-1.5**

An emergency constitutes an affirmative defense to an action brought for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) An emergency occurred and that the facility owner and/or operator can identify the cause(s) of the emergency;

(2) The equipment at the permitted facility causing the emergency was at the time being properly operated;

(3) During the period of the emergency the facility owner and/or operator took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) The facility owner and/or operator notified the Department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding, the facility owner and/or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or upset provision contained in any applicable requirement.

**Item B: Public Access to Recordkeeping for Title V Facilities - 6NYCRR Part 201-1.10(b)**

The Department will make available to the public any permit application, compliance plan, permit, and monitoring and compliance certification report pursuant to

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



Section 503(e) of the Act, except for information entitled to confidential treatment pursuant to 6NYCRR Part 616 - Public Access to records and Section 114(c) of the Act.

- Item C: Timely Application for the Renewal of Title V Permits - 6 NYCRR Part 201-6.3(a)(4)**  
Owners and/or operators of facilities having an issued Title V permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.
- Item D: Certification by a Responsible Official - 6 NYCRR Part 201-6.3(d)(12)**  
Any application, form, report or compliance certification required to be submitted pursuant to the federally enforceable portions of this permit shall contain a certification of truth, accuracy and completeness by a responsible official. This certification shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- Item E: Requirement to Comply With All Conditions - 6 NYCRR Part 201-6.5(a)(2)**  
The permittee must comply with all conditions of the Title V facility permit. Any permit non-compliance constitutes a violation of the Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.
- Item F: Permit Revocation, Modification, Reopening, Reissuance or Termination, and Associated Information Submission Requirements - 6 NYCRR Part 201-6.5(a)(3)**  
This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- Item G: Cessation or Reduction of Permitted Activity Not a Defense - 6NYCRR Part 201-6.5(a)(5)**  
It shall not be a defense for a permittee in an enforcement action to claim that a cessation or reduction in the permitted activity would have been necessary in



order to maintain compliance with the conditions of this permit.

**Item H:      Property Rights - 6 NYCRR Part 201-6.5(a)(6)**

This permit does not convey any property rights of any sort or any exclusive privilege.

**Item I:      Severability - 6 NYCRR Part 201-6.5(a)(9)**

If any provisions, parts or conditions of this permit are found to be invalid or are the subject of a challenge, the remainder of this permit shall continue to be valid.

**Item J:      Permit Shield - 6 NYCRR Part 201-6.5(g)**

All permittees granted a Title V facility permit shall be covered under the protection of a permit shield, except as provided under 6 NYCRR Subpart 201-6. Compliance with the conditions of the permit shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that such applicable requirements are included and are specifically identified in the permit, or the Department, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the major stationary source, and the permit includes the determination or a concise summary thereof. Nothing herein shall preclude the Department from revising or revoking the permit pursuant to 6 NYCRR Part 621 or from exercising its summary abatement authority. Nothing in this permit shall alter or affect the following:

- i.      The ability of the Department to seek to bring suit on behalf of the State of New York, or the Administrator to seek to bring suit on behalf of the United States, to immediately restrain any person causing or contributing to pollution presenting an imminent and substantial endangerment to public health, welfare or the environment to stop the emission of air pollutants causing or contributing to such pollution;
- ii.     The liability of a permittee of the Title V facility for any violation of applicable requirements prior to or at the time of permit issuance;
- iii.    The applicable requirements of Title IV of the

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



Act;

iv. The ability of the Department or the Administrator to obtain information from the permittee concerning the ability to enter, inspect and monitor the facility.

**Item K: Reopening for Cause - 6 NYCRR Part 201-6.5(i)**

This Title V permit shall be reopened and revised under any of the following circumstances:

i. If additional applicable requirements under the Act become applicable where this permit's remaining term is three or more years, a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire, unless the original permit or any of its terms and conditions has been extended by the Department pursuant to the provisions of Part 201-6.7 and Part 621.

ii. The Department or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

iii. The Department or the Administrator determines that the Title V permit must be revised or reopened to assure compliance with applicable requirements.

iv. If the permitted facility is an "affected source" subject to the requirements of Title IV of the Act, and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit.

Proceedings to reopen and issue Title V facility permits shall follow the same procedures as apply to initial permit issuance but shall affect only those parts of the permit for which cause to reopen exists.

Reopenings shall not be initiated before a notice of such intent is provided to the facility by the Department at least thirty days in advance of the date that the permit

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



is to be reopened, except that the Department may provide a shorter time period in the case of an emergency.

**Item L:      Permit Exclusion - ECL 19-0305**  
The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

**Item M:      Federally Enforceable Requirements - 40 CFR 70.6(b)**  
All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT  
TO ANNUAL CERTIFICATIONS AT ALL TIMES**

**The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements at all times.**

**Condition 1:      Acceptable Ambient Air Quality**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 200.6**

**Item 1.1:**  
Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

**Condition 2: Fees**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(a)(7)**

**Item 2.1:**

The owner and/or operator of a stationary source shall pay fees to the Department consistent with the fee schedule authorized by ECL 72-0302.

**Condition 3: Recordkeeping and reporting of compliance monitoring**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(c)**

**Item 3.1:**

The following information must be included in any required compliance monitoring records and reports:

- (i) The date, place, and time of sampling or measurements;
- (ii) The date(s) analyses were performed;
- (iii) The company or entity that performed the analyses;
- (iv) The analytical techniques or methods used including quality assurance and quality control procedures if required;
- (v) The results of such analyses including quality assurance data where required; and
- (vi) The operating conditions as existing at the time of sampling or measurement.

Any deviation from permit requirements must be clearly identified in all records and reports. Reports must be certified by a responsible official, consistent with Section 201-6.3 of this Part 201.

**Condition 4: Monitoring, Related Recordkeeping, and Reporting Requirements.**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(c)(2)**

**Item 4.1:**

Compliance monitoring and recordkeeping shall be conducted according to the terms and conditions contained in this permit and shall follow all quality assurance requirements found in applicable

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



regulations. Records of all monitoring data and support information must be retained for a period of at least 5 years from the date of the monitoring, sampling, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

**Condition 5: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(c)(3)(ii)**

**Item 5.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 5.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

To meet the requirements of this facility permit with respect to reporting, the permittee must:

Submit reports of any required monitoring at a minimum frequency of every 6 months, based on a calendar year reporting schedule. These reports shall be submitted to the Department within 30 days after the end of a reporting period. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by the responsible official for this facility.

Notify the Department and report permit deviations and incidences of noncompliance stating the probable cause of such deviations, and any corrective actions or preventive measures taken. Where the underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations shall be submitted to the permitting authority based on the following schedule:

(1) For emissions of a hazardous air pollutant (as identified in an applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made within 24 hours of the occurrence.



(2) For emissions of any regulated air pollutant, excluding those listed in paragraph (1) of this section, that continue for more than two hours in excess of permit requirements, the report must be made within 48 hours.

(3) For all other deviations from permit requirements, the report shall be contained in the 6 month monitoring report required above.

(4) This permit may contain a more stringent reporting requirement than required by paragraphs (1), (2) or (3) above. If more stringent reporting requirements have been placed in this permit or exist in applicable requirements that apply to this facility, the more stringent reporting requirement shall apply.

If above paragraphs (1) or (2) are met, the source must notify the permitting authority by telephone during normal business hours at the Regional Office of jurisdiction for this permit, attention Regional Air Pollution Control Engineer (RAPCE) according to the timetable listed in paragraphs (1) and (2) of this section. For deviations and incidences that must be reported outside of normal business hours, on weekends, or holidays, the DEC Spill Hotline phone number at 1-800-457-7362 shall be used. A written notice, certified by a responsible official consistent with 6 NYCRR Part 201-6.3(d)(12), must be submitted within 10 working days of an occurrence for deviations reported under (1) and (2). All deviations reported under paragraphs (1) and (2) of this section must also be identified in the 6 month monitoring report required above.

The provisions of 6 NYCRR 201-1.4 shall apply if the permittee seeks to have a violation excused unless otherwise limited by regulation. In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets. Notwithstanding any recordkeeping and reporting requirements in 6 NYCRR 201-1.4, reports of any deviations shall not be on a less frequent basis than the reporting periods described in paragraphs (1) and (4) above.



**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



In the case of any condition contained in this permit with a reporting requirement of "Upon request by regulatory agency" the permittee shall include in the semiannual report, a statement for each such condition that the monitoring or recordkeeping was performed as required or requested and a listing of all instances of deviations from these requirements.

In the case of any emission testing performed during the previous six month reporting period, either due to a request by the Department, EPA, or a regulatory requirement, the permittee shall include in the semiannual report a summary of the testing results and shall indicate whether or not the Department or EPA has approved the results.

All semiannual reports shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Quality Assurance (BQA) in the DEC central office). Mailing addresses for the above referenced persons are contained in the monitoring condition for 6 NYCRR Part 201-6.5(e), contained elsewhere in this permit.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 6: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(e)**

**Item 6.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 6.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Compliance certifications shall contain the following information:

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



- the identification of each term or condition of the permit that is the basis of the certification;
- the compliance status;
- whether compliance was continuous or intermittent;
- the method(s) used for determining the compliance status of the facility, currently and over the reporting period consistent with the monitoring and related recordkeeping and reporting requirements of this permit;
- such other facts as the Department may require to determine the compliance status of the facility as specified in any special permit terms or conditions;
- and
- such additional requirements as may be specified elsewhere in this permit related to compliance certification.

Compliance certifications shall be submitted annually. Certification reports are due 30 days after the anniversary date of four consecutive calendar quarters. The first report is due 30 days after the calendar quarter that occurs just prior to the permit anniversary date, unless another quarter has been acceptable by the Department.

All compliance certifications shall be submitted to the Administrator (or his or her representative) as well as two copies to the Department (one copy to the regional air pollution control engineer (RAPCE) in the regional office and one copy to the Bureau of Compliance Monitoring and Enforcement (BCME) in the DEC central office). Please send annual compliance certifications to Chief of the Stationary Source Compliance Section, the Region 2 EPA representative for the Administrator, at the following address:

USEPA Region 2  
Air Compliance Branch  
290 Broadway  
New York, NY 10007-1866

The address for the RAPCE is as follows:

6274 East Avon-Lima Road  
Avon, NY 14414-9519

The address for the BCME is as follows:

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



NYSDEC  
Bureau of Compliance Monitoring  
and Enforcement  
625 Broadway  
Albany, NY 12233-3258

Reporting Requirements: ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 1/30/2007.  
Subsequent reports are due on the same day each year

**Condition 7: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 202-2.1**

**Item 7.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 7.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Emission statements shall be submitted on or before April  
15th each year for emissions of the previous calendar  
year.

Monitoring Frequency: ANNUALLY

Reporting Requirements: ANNUALLY (CALENDAR)

Reports due by April 15th for previous calendar year

**Condition 8: Recordkeeping requirements**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 202-2.5**

**Item 8.1:**

(a) The following records shall be maintained for at least five years:

- (1) a copy of each emission statement submitted to the department; and
  - (2) records indicating how the information submitted in the emission statement was determined, including any calculations, data, measurements, and estimates used.
- (b) These records shall be made available at the facility to the representatives of the department upon request during normal business hours.



**Condition 9:      Open Fires Prohibited at Industrial and Commercial Sites**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 6NYCRR 215**

**Item 9.1:**

No person shall burn, cause, suffer, allow or permit the burning in an open fire of garbage, refuse, rubbish for salvage, or rubbish generated by industrial or commercial activities.

**MANDATORY FEDERALLY ENFORCEABLE PERMIT CONDITIONS SUBJECT  
TO ANNUAL CERTIFICATIONS ONLY IF APPLICABLE**

The following federally enforceable permit conditions are mandatory for all Title V permits and are subject to annual compliance certification requirements only if effectuated during the reporting period. [NOTE: The corresponding annual compliance certification for those conditions not effectuated during the reporting period shall be specified as "not applicable".]

**Condition 10:      Maintenance of Equipment**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 6NYCRR 200.7**

**Item 10.1:**

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

**Condition 11:      Recycling and Salvage**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 6NYCRR 201-1.7**

**Item 11.1:**

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of the ECL.

**Condition 12:      Prohibition of Reintroduction of Collected Contaminants to  
the air**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 6NYCRR 201-1.8**

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



**Item 12.1:**

No person shall remove, handle or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

**Condition 13: Exempt Sources - Proof of Eligibility**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-3.2(a)**

**Item 13.1:**

The owner and/or operator of an emission source or unit that is eligible to be exempt may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

**Condition 14: Trivial Sources - Proof of Eligibility**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-3.3(a)**

**Item 14.1:**

The owner and/or operator of an emission source or unit that is listed as being trivial in this Part may be required to certify that it operates within the specific criteria described in this Subpart. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other State and Federal air pollution control requirements, regulations, or law.

**Condition 15: Standard Requirement - Provide Information**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(a)(4)**

**Item 15.1:**

The owner and/or operator shall furnish to the department, within a reasonable time, any information that the department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the administrator along with a claim of confidentiality, if the administrator initiated the request for information or otherwise has need of it.

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Condition 16:    General Condition - Right to Inspect**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(a)(8)**

**Item 16.1:**

The department or an authorized representative shall be allowed upon presentation of credentials and other documents as may be required by law to:

- (i) enter upon the permittee's premises where a facility subject to the permitting requirements of this Subpart is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;
- (ii) have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- (iii) inspect at reasonable times any emission sources, equipment (including monitoring and air pollution control equipment), practices, and operations regulated or required under the permit; and
- (iv) sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

**Condition 17:    Standard Requirements - Progress Reports**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(d)(5)**

**Item 17.1:**

Progress reports consistent with an applicable schedule of compliance are to be submitted at least semiannually, or at a more frequent period if specified in the applicable requirement or by the department. Such progress reports shall contain the following:

- (i) dates for achieving the activities, milestones, or compliance required in the schedule of compliance, and dates when such activities, milestones or compliance were achieved; and
- (ii) an explanation of why any dates in the schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

**Condition 18:    Off Permit Changes**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(f)(6)**

**Item 18.1:**

No permit revision will be required for operating changes that contravene an express permit term, provided that such changes would not violate applicable requirements as defined under this Part or contravene federally enforceable monitoring (including test methods), recordkeeping, reporting, or

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



compliance certification permit terms and conditions. Such changes may be made without requiring a permit revision, if the changes are not modifications under any provision of title I of the act and the changes do not exceed the emissions allowable under the permit (whether expressed therein as a rate of emissions or in terms of total emissions) provided that the facility provides the administrator and the department with written notification as required below in advance of the proposed changes within a minimum of seven days. The facility owner or operator, and the department shall attach each such notice to their copy of the relevant permit.

(i) For each such change, the written notification required above shall include a brief description of the change within the permitted facility, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.

(ii) The permit shield described in section 6 NYCRR 201-6.6 shall not apply to any change made pursuant to this paragraph.

**Condition 19:    Required Emissions Tests**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 202-1.1**

**Item 19.1:**

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time. Such person shall bear the cost of measurement and preparing the report of measured emissions. Failure of such person to submit a report acceptable to the commissioner within the time stated shall be sufficient reason for the commissioner to suspend or deny a certificate to operate.

**Condition 20:    Visible Emissions Limited**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 211.3**

**Item 20.1:**

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

**Condition 21:    Accidental release provisions.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 68**

**Item 21.1:**

If a chemical is listed in Tables 1,2,3 or 4 of 40 CFR §68.130 is present in a process in quantities greater than the threshold quantity listed in Tables 1,2,3 or 4, the following requirements will apply:

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



- a) The owner or operator shall comply with the provisions of 40 CFR Part 68 and;
- b) The owner or operator shall submit at the time of permit issuance (if not previously submitted) one of the following, if such quantities are present:
- 1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR §68.10(a) or,
- 2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan. Information should be submitted to:

Risk Management Plan Reporting Center  
C/O CSC  
8400 Corporate Dr  
Carrollton, Md. 20785

**Condition 22:    Recycling and Emissions Reduction**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 82, Subpart F**

**Item 22.1:**

The permittee shall comply with all applicable provisions of 40 CFR Part 82.

**The following conditions are subject to annual compliance certification requirements  
for Title V permits only.**

**Condition 23:    Exempt Activities - Maintenance of Control Equipment**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-3.2(b)**

**Item 23.1:**

Owner of any emission source or unit that is listed as eligible to be exempt in 6 NYCRR Part 201-3.2(c), on the basis of the use of appropriate emission control device shall operate and maintain such device in a manner consistent with good engineering practices.

**Condition 24:    Trivial Activities - Maintenance of Control Equipment**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-3.3(b)**



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Item 24.1:**

The owner and /or operator of any emission source or unit that is listed as eligible to be exempt in 6 NYCRR Part 201-3.3(c), on the basis of the use of appropriate emission control device shall operate and maintain such device in a manner consistent with good engineering practices.

**Condition 25:    Emission Unit Definition**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6**

**Item 25.1:**

The facility is authorized to perform regulated processes under this permit for:

Emission Unit:    E-U0001

Emission Unit Description:

Existing municipal solid waste landfill with gas collection system and corresponding control/treatment devices.

Building(s):      LANDFILL  
                         POWERPLANT

**Condition 26:    Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(f)**

**Item 26.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 26.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Operational Flexibility Plan

**I. Protocol Objective**

The objective of this condition is to maximize operational flexibility at the facility by building into the Title V permit the capability to make certain changes using a protocol. As provided under 6 NYCRR Part 201-6.5(f)(2), changes made under an approved protocol are not subject to the Title V permit modification provisions under 6 NYCRR Part 201-6.7.



II. Protocol

A. Criteria

1. Changes reviewed under this protocol shall be evaluated in accordance with the following criteria:

a. All underlying federal and state requirements with which the new or changed emission source must comply must exist in the Title V permit. Existing permit conditions may be amended to reference or include the new or changed emission source and any related information, and/or subject to DEC approval, new conditions proposed, to provide the appropriate monitoring parameters.

b. Any new or changed emission source shall not be part of a source project that results in a significant net emissions increase that exceeds the New Source Review (NSR) thresholds identified in 6 NYCRR Part 231-2 or 40 CFR 52.21.

c. The facility shall not use the protocol to make physical changes or changes in the method of operation of existing emissions sources that would require a new or modified federally enforceable cap either the avoid major NSR requirements or to address and comply with other Clean Air Act requirements, such as RACT. Such changes must be addressed via the significant permit modification provisions.

B. Notification Requirements for Changes Reviewed under the Protocol

1. The facility shall notify the Department in writing of the proposed change.

2. Notifications made in accordance with this protocol will include the following documentation:

a. Identification of the Title V permit emission unit, process(es), emission sources and emission points affected by the proposed change with applicable revisions to the Emission Unit structure;

b. Description of the proposed change, including operating parameters;



- c. Identification and description of emissions control technology;
- d. Documentation of the project's, or emission source's, compliance with respect to all state and/or federally applicable requirements, including the following steps:
  - i. Calculate the emission rate potential and maximum projected actual annual emission rates for all contaminants affected by the change.
  - ii. Submit documentation of major NSR program non-applicability for NYSDEC review and approval.
  - iii. Identify and evaluate the applicability of all regulations likely to be triggered by the new or changed emission source.
  - iv. Propose any operating and record keeping procedures necessary to ensure compliance.
- e. Any other relevant information used for the evaluation of the proposed project or emission source under the Protocol.

**C. Review and Approval of Changes**

- 1. The Department shall respond to the permittee in writing with a determination within 15 days of receipt of the notification of the permittee.
- 2. The Department may require a permit modification, in order to impose new applicable requirements or additional permit conditions if it determines that changes proposed pursuant to notification do not meet the criteria under II. A above or that the changes may have a significant air quality impact or be otherwise potentially significant under SEQRA (6 NYCRR Part 617).
- 3. The Department may require that the permittee not undertake the proposed change until it completes a more detailed review of the proposed change, which may include potential air quality impacts and/or applicable requirements. The Department's determination shall

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



include a listing of information required for further review, if necessary.

**D. Additional Compliance Obligations for Changes Made Under this Protocol**

1. upon commencement of the change, the facility shall comply with all applicable requirements and permit conditions, including any amended or proposed in accordance with II.A.1.a above.
2. The facility shall provide with the semi-annual monitoring report, a summary of the changes made in accordance with this protocol and a statement of the compliance status of each. Changes reported should include all those made during the corresponding period and any earlier changes that have not yet been incorporated into the permit.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 27:    Non Applicable requirements**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6.5(g)**

**Item 27.1:**

This section contains a summary of those requirements that have been specifically identified as being not applicable to this facility and/or emission units, emission points, processes and/or emission sources within this facility. The summary also includes a justification for classifying any such requirements as non-applicable.

6NYCRR 231-2

Reason: The facility was an existing minor for NSR contaminants (NOx and VOC). The increase in emissions of NOx and CO from the addition of the flare and the engines to the renewal permit is below NSR significant source applicability thresholds.

40CFR 52-A.21

Reason: The facility was an existing PSD minor for all PSD contaminants. The increase of NOx and CO emissions from

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



the addition of the flare and the engines to the renewal permit is below PSD significant source applicability thresholds.

**Condition 28: Notification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 202-1.2**

**Item 28.1:**

A person who is required by the commissioner to submit a stack test report shall notify the commissioner, in writing, not less than 30 days prior to the test, of the time and date of the test. Such notification shall also include the acceptable procedures to be used to stack test including sampling and analytical procedures. Such person shall allow the commissioner, or his representative, free access to observe stack testing being conducted by such person.

**Condition 29: Acceptable procedures**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 202-1.3(a)**

**Item 29.1:**

Emission testing, sampling and analytical determinations to ascertain compliance with this Subchapter shall be conducted in accordance with test methods acceptable to the commissioner. The Reference Methods contained in part 60, appendix A and part 61, appendix B of title 40 of the Code of Federal Regulations and all future technical revisions, additions or corrections made thereto shall be considered as acceptable test methods for those sources and contaminants for which they are expressly applicable, except where the commissioner has issued a specific method to be used instead of a Reference Method contained in these Federal regulations or where the commissioner determines that one or more alternate methods are also acceptable. The person who owns or operates an air contamination source shall submit the emission test report in triplicate, to the commissioner within 60 days after the completion of tests. In the event such source owner/operator can demonstrate to the commissioner such time is not sufficient, he may request in writing and be granted an extension. Where an opacity emission standard is applicable to the source tested, the emission test report shall include the opacity observation.

**Condition 30: Required contents of an emission statement.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 202-2.3**

**Item 30.1:**

(a) Emission statements shall include the following:

(1) Certification by a duly authorized representative. A duly authorized representative must sign a form provided by the Department to verify the truth, accuracy, and completeness of the emission statement. This certification shall state that, based on information and belief formed after reasonable

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



inquiry by the duly authorized representative, the statements and information in the document are true, accurate, and complete. The certification shall include the full name, title, original signature, date of signature and telephone number of the duly authorized representative.

(2) Facility level information, consisting of:

- (i) verification of full name of facility;
- (ii) verification of parent company name;
- (iii) verification of street address (physical location) of the facility;
- (iv) verification of four digit SIC code(s) for the facility;
- (v) calendar year reportable emissions.
- (vi) total facility fuel use and fuel sulfur content and heat value (for combustion installations);  
and,
- (vii) fugitive emissions.

(3) Emission point level information, consisting of:

- (i) average hours of operation per day (peak ozone and carbon monoxide seasons);
- (ii) average days of operation per week (peak ozone and carbon monoxide seasons);
- (iii) weeks of operation per year (seasonal and annual);
- (iv) hours of operation per year; and
- (v) percentage annual throughput (percentage of annual activity by season).
- (vi) verification of latitude and longitude.

(4) Process level information, consisting of:

- (i) maximum heat input (for combustion installations);
- (ii) quantity of fuels consumed (for combustion installations);
- (iii) estimated actual annual reportable emissions, for each air regulated air pollutant emitted, (in units of pounds per year);
- (iv) estimated emissions method (see 6 NYCRR Part 202-2.4(b));
- (v) emission factor(s) (if used to determine actual emissions);

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



(vi) primary and secondary control equipment identification code(s);

(vii) control efficiencies achieved by the control equipment. The control efficiency should reflect the total control efficiency from all control equipment for a specific criteria group (e.g., VOCs and NO<sub>x</sub>). If the actual control efficiency is unavailable, the design efficiency or the control efficiency limit imposed by a permit shall be used;

(viii) annual process rate;

(ix) peak ozone season daily process rate.

(b) Petroleum, volatile organic liquid, and fuel storage and distribution facilities must provide the following additional information:

(1) tank capacity (including maximum and average liquid height, and working volume); and

(2) throughput associated with tanks and loading racks (including turnovers per year).

(c) The Department shall provide instructions concerning the emission statements applicable to a particular facility, when the statement is mailed to the facility. These instructions shall include control equipment identification code(s) and estimated emissions method code(s).

**Condition 31:    EPA Region 2 address.**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.4, NSPS Subpart A**

**Item 31.1:**

All requests, reports, applications, submittals, and other communications to the Administrator pursuant to this part shall be submitted in duplicate to the following address:

Director, Division of Enforcement and Compliance Assistance  
USEPA Region 2  
290 Broadway, 21st Floor  
New York, NY 10007-1886

Copies of all correspondence to the administrator pursuant to this part shall also be submitted to the NYSDEC Regional Office issuing this permit (see address at the beginning of this permit) and to the following address:

NYSDEC  
Bureau of Quality Assurance  
625 Broadway  
Albany, NY 12233-3258

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Condition 32:    Modification Notification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.7(a), NSPS Subpart A**

**Item 32.1:**

Any owner or operator subject to 40 CFR Part 60 shall furnish the Administrator and this office with the following information:

- a notification of any physical or operational change to an existing facility which may increase the emission rate of any air pollutant to which a standard applies, unless the change is specifically exempted under 40 CFR Part 60. The notice shall be post marked 60 days or as soon as practicable before the change is commenced and shall include information describing the precise nature of the change, present and proposed emission control systems, productivity capability of the facility before and after the change, and the expected completion date of the change. The Administrator and/or this Department may request additional information regarding the change.

**Condition 33:    Recordkeeping requirements.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.7(b), NSPS Subpart A**

**Item 33.1:**

Affected owners or operators shall maintain records of occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; any malfunction of the air pollution control equipment; or any periods during which a continuous monitoring system or monitoring device is inoperative.

**Condition 34:    Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.7(c), NSPS Subpart A**

**Item 34.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 34.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Affected owners or operators shall submit an excess emissions report and/or a summary report form (as defined in 40 CFR 60.7(d)) semi-annually (or more frequently as required by the applicable Subpart or the Administrator), to the Administrator. These reports shall be post marked



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



no later than 30 days after each calendar quarter (or as appropriate), and shall contain the following information:

- 1) the magnitude of excess emissions computed, any conversion factors used, the date and time of each occurrence, and the process operating time during the reporting period;
- 2) specific identification of each period of excess emissions that occur during startup, shutdown, or malfunction, where the nature, cause, and corrective action are provided for a malfunction;
- 3) the date and time identifying each period during which the continuous monitoring system was inoperative except for zero and span checks and the nature of the system repairs or adjustments; and
- 4) when no excess emissions have occurred or when the continuous monitoring system(s) have not been inoperative, repaired, or adjusted, such information shall be provided in the report.

Monitoring Frequency: CONTINUOUS  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 35:    Excess emissions report.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.7(d), NSPS Subpart A**

**Item 35.1:**

A summary report form, for each pollutant monitored, shall be sent to the Administrator in the form prescribed in Figure 1 of 40 CFR Part 60.7(d).

**Condition 36:    Monitoring frequency waiver.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.7(e), NSPS Subpart A**

**Item 36.1:** Notwithstanding the frequency of reporting requirements specified in paragraph (c) of this section, an owner or operator who is required by an applicable subpart to submit excess emissions and monitoring systems performance reports (and summary reports) on a quarterly (or more frequent) basis

**New York State Department of Environmental Conservation**

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



may reduce the frequency of reporting for that standard to semiannual if the conditions in 40 CFR 60.7(e) are met.

**Condition 37: Facility files for subject sources.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.7(f), NSPS Subpart A**

**Item 37.1:**

The following files shall be maintained at the facility for all affected sources: all measurements, including continuous monitoring systems, monitoring device, and performance testing measurements; all continuous monitoring system performance evaluations; all continuous monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by this part, recorded in permanent form suitable for inspections. The file shall be maintained for at least two years following the date of such measurements, reports, and records.

**Condition 38: Notification Similar to State or Local Agency**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.7(g), NSPS Subpart A**

**Item 38.1:**

If notification substantially similar to that in 40 CFR Part 60.7(a) is required by any other State or local agency, sending the Administrator a copy of that notification will satisfy the requirements of 40 CFR Part 60.7(a).

**Condition 39: Performance testing timeline.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.8(a), NSPS Subpart A**

**Item 39.1:**

Within 60 days after achieving the maximum production rate, but not later than 180 days after initial startup of the facility, the owner or operator of the facility shall conduct performance testing and provide the results of such tests, in a written report, to the Administrator.

**Condition 40: Performance Test Methods - Waiver**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.8(b), NSPS Subpart A**

**Item 40.1:**

Performance testing shall be conducted in accordance with the methods and procedures prescribed in 40 CFR Part 60 unless the Administrator (1) specifies or approves, in specific cases, the use of a reference method with minor changes in methodology, (2) approves the use of an equivalent method, (3) approves the use of an alternate method the results of which he has determined to be adequate for indicating whether a specific source is in compliance, (4) waives the requirement for performance tests because the

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



owner or operator of a source has demonstrated by other means to the Administrator's satisfaction that the affected facility is in compliance with the standard, or (5) approves shorter sampling times and smaller sample volumes when necessitated by process variables or other factors.

**Condition 41:    Performance test methods.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.8(b), NSPS Subpart A**

**Item 41.1:**  
Performance testing shall be conducted in accordance with the methods and procedures prescribed in 40 CFR 60 or by alternative methods and procedures approved by the Administrator.

**Condition 42:    Required performance test information.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.8(c), NSPS Subpart A**

**Item 42.1:**  
Performance tests shall be conducted under such conditions specified by the Administrator, based upon representative performance data supplied by the owner or operator of the facility.

**Condition 43:    Prior notice.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.8(d), NSPS Subpart A**

**Item 43.1:**  
The owner or operator shall provide the Administrator with prior notice of any performance test at least 30 days in advance of testing.

**Condition 44:    Performance testing facilities.**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.8(e), NSPS Subpart A**

**Item 44.1:**  
The following performance testing facilities shall be provided during all tests:

- 1) sampling ports adequate for tests methods applicable to such facility;
- 2) a safe sampling platform;
- 3) a safe access to the sampling platform; and
- 4) utilities for sampling and testing equipment.

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



**Condition 45: Number of required tests.**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.8(f), NSPS Subpart A**

**Item 45.1:**

Each performance test shall consist of three separate runs, at the specified duration required in the applicable test method. Compliance with all applicable standards shall be determined by using the arithmetic means of the results of the three runs.

**Condition 46: Availability of information.**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.9, NSPS Subpart A**

**Item 46.1:**

The availability to the public of information provided to, or otherwise obtained by, the Administrator under this part shall be governed by 40 CFR Part 2.

**Condition 47: Opacity standard compliance testing.**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.11, NSPS Subpart A**

**Item 47.1:**

The following conditions shall be used to determine compliance with the opacity standards:

1) observations shall be conducted in accordance with Reference Method 9, in Appendix A of 40 CFR Part 60 (or an equivalent method approved by the Administrator including continuous opacity monitors);

2) the opacity standards apply at all times except during periods of start up, shutdown, and malfunction; and

3) all other applicable conditions cited in section 60.11 of this part.

**Condition 48: Circumvention.**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.12, NSPS Subpart A**

**Item 48.1:**

No owner or operator subject to the provisions of this part shall build, erect, install, or use any article, machine, equipment or process, the use of which conceals an emission which would otherwise constitute a violation of an applicable standard. Such concealment includes, but is not limited to, the use of gaseous diluents to achieve compliance with an opacity standard or with a standard which is based on the concentration of a pollutant in the gases discharged to the atmosphere.



**Condition 49: Modifications.**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 40CFR 60.14, NSPS Subpart A**

**Item 49.1:**  
Within 180 days of the completion of any physical or operational change (as defined in section 60.14), compliance with the applicable standards must be achieved.

**Condition 50: Reconstruction**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 40CFR 60.15, NSPS Subpart A**

**Item 50.1:**  
The following shall be submitted to the Administrator prior to reconstruction (as defined in section 60.15):

- 1) a notice of intent to reconstruct 60 days prior to the action;
- 2) name and address of the owner or operator;
- 3) the location of the existing facility;
- 4) a brief description of the existing facility and the components to be replaced;
- 5) a description of the existing air pollution control equipment and the proposed air pollution control equipment;
- 6) an estimate of the fixed capital cost of the replacements and of constructing a comparable entirely new facility;
- 7) the estimated life of the facility after the replacements; and
- 8) a discussion of any economic or technical limitations the facility may have in complying with the applicable standards of performance after the proposed replacements.

**Condition 51: Standards for air emissions from MSW landfills**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 40CFR 60.752(b)(2), NSPS Subpart WWW**

**Item 51.1:**  
If the calculated NMOC emission rate is equal to or greater than 50 megagrams per year, the owner or operator shall:

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



i) Submit a collection and control system design plan prepared by a professional engineer to the Administrator within 1 year:

A) The collection and control system as described in the plan shall meet the design requirements of paragraph (ii) below.

B) The collection and control system design plan shall include any alternatives to the operational standards, test methods, procedures, compliance measures, monitoring, recordkeeping or reporting provisions of 40 CFR Part 60.753 through 60.758 proposed by the owner or operator.

C) The collection and control system design plan shall either conform with specifications for active collection systems in 40 CFR Part 60.759 or include a demonstration to the Administrator's satisfaction of the sufficiency of the alternative provisions to 40 CFR Part 60.759.

D) The Administrator shall review the information submitted under paragraphs (i)(A), (B) and (C) above and either approve it, disapprove it, or request that additional information be submitted. Because of the many site-specific factors involved with landfill gas system design, alternative systems may be necessary. A wide variety of system designs are possible, such as vertical wells, combination horizontal and vertical collection systems, or horizontal trenches only, leachate collection components, and passive systems.

ii) Install a collection and control system that captures the gas generated within the landfill as required by paragraphs (ii)(A) or (B) and (iii) below, within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, unless Tier 2 or Tier 3 sampling demonstrates that the emission rate is less than 50 megagrams per year, as specified in 40 CFR Part 60.757(c)(1) or (2).

A) An active gas collection system shall:

1) be designed to handle the maximum expected gas flow rate from the entire area of the landfill that warrants control over the intended use period of the gas control or treatment system equipment;

2) collect gas from each area, cell or group of cells in the landfill in which the initial solid waste has been placed for a period of 5 years (if active) or 2 years (if closed or at final grade);

3) collect gas at a sufficient extraction rate; and

4) be designed to minimize off-site migration of subsurface gas.

(B) A passive collection system shall:

(1) Comply with the provisions specified in paragraphs (A)(1), (2), and (4) above.

(2) Be installed with liners on the bottom and all sides in all areas in which gas is to be collected. The liners shall be installed as required under 40 CFR Part 258.40 of this title.



iii) Route all the collected gas to a control system that complies with either of the following:

A) is an open flare designed and operated in accordance with 40 CFR 60.18; or

B) is a control system designed and operated to reduce NMOC by 98% (by weight) or, when an enclosed combustion device is used for control, to either reduce NMOC by 98% weight or reduce the NMOC outlet concentration to less than 20 parts per million by volume, dry basis as hexane at 3% oxygen. The reduction efficiency or parts per million by volume shall be established by an initial performance test to be completed no later than 180 days after the initial startup of the approved control system using the test methods specified in 40 CFR Part 60.754(d).

(1) If a boiler or process heater is used as the control device, the landfill gas stream shall be introduced into the flame zone.

(2) The control device shall be operated within the parameter ranges established during the initial or most recent performance test. The operating parameters to be monitored are specified in 40 CFR Part 60.756;

(C) Route the collected gas to a treatment system that processes the collected gas for subsequent sale or use. All emissions from any atmospheric vent from the gas treatment system shall be subject to the requirements of paragraph (iii)(A) or (B) above.

**Condition 52:    Operational standards for collection and control systems**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.753(a), NSPS Subpart WWW**

**Item 52.1:**

Each owner or operator of an MSW landfill with a gas collection and control system used to comply with the provisions of 40 CFR Part 60.752(b)(2)(ii) shall:

a) Operate the collection system such that gas is collected from each area, cell or group of cells in the MSW landfill in which solid waste has been in place for:

1) 5 years or more if active; or

2) 2 years or more if closed or at final grade.

**Condition 53:    Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.753(b), NSPS Subpart WWW**

**Item 53.1:**

The Compliance Certification activity will be performed for the Facility.

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Item 53.2:**

Compliance Certification shall include the following monitoring:

**Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS**

**Monitoring Description:**

Operate the collection system with negative pressure at each wellhead except under the following conditions:

- 1) A fire or increased well temperature. The owner or operator shall record instances when positive pressure occurs in efforts to avoid a fire. These records shall be submitted with the annual reports as provided in 40 CFR Part 60.757(f)(1).
- 2) Use of a geomembrane cover or an equivalent gas-impermeable synthetic cover. The owner or operator shall develop acceptable pressure limits in the design plan.
- 3) A decommissioned well. A well may experience a static positive pressure after shut down to accommodate for declining flows.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(a)(3) through (5) of Subpart WWW. If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

Work Practice Type: PARAMETER OF PROCESS MATERIAL  
Process Material: LANDFILL GAS  
Parameter Monitored: PRESSURE  
Upper Permit Limit: 0 pounds per square inch gauge  
Monitoring Frequency: MONTHLY  
Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -  
SEE MONITORING DESCRIPTION  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 54: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Applicable Federal Requirement: 40CFR 60.753(c), NSPS Subpart WWW**

**Item 54.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 54.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC  
OPERATIONS

Monitoring Description:

Operate each interior wellhead in the collection system with an oxygen level in the landfill gas less than 5%. The owner or operator may establish a higher operating oxygen level at a particular well. A higher operating value demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(a)(3) through (5) of Subpart WWW.

If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

Work Practice Type: PARAMETER OF PROCESS MATERIAL

Process Material: LANDFILL GAS

Parameter Monitored: OXYGEN CONTENT

Upper Permit Limit: 4.9 percent

Reference Test Method: Method 3a

Monitoring Frequency: MONTHLY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -

SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 55: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.753(c), NSPS Subpart WWW**

**Item 55.1:**

Air Pollution Control Permit Conditions

Renewal 1

Page 38 of 87 FINAL

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



The Compliance Certification activity will be performed for the Facility.

**Item 55.2:**

Compliance Certification shall include the following monitoring:

**Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS**

**Monitoring Description:**

Operate each interior wellhead in the collection system with a landfill gas temperature less than 55 degrees centigrade. The owner or operator may establish a higher operating temperature at a particular well. A higher operating value demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(a)(3) through (5) of Subpart WWW.

If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

**Work Practice Type: PARAMETER OF PROCESS MATERIAL**

**Process Material: LANDFILL GAS**

**Parameter Monitored: TEMPERATURE**

**Upper Permit Limit: 54.9 degrees Centigrade (or Celsius)**

**Monitoring Frequency: MONTHLY**

**Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -  
SEE MONITORING DESCRIPTION**

**Reporting Requirements: SEMI-ANNUALLY (CALENDAR)**

**Reports due 30 days after the reporting period.**

**The initial report is due 7/30/2006.**

**Subsequent reports are due every 6 calendar month(s).**

**Condition 56: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.753(d), NSPS Subpart WWW**

**Item 56.1:**

The Compliance Certification activity will be performed for the Facility.

**Regulated Contaminant(s):**

**CAS No: 000074-82-8      METHANE**



**Item 56.2:**

Compliance Certification shall include the following monitoring:

**Monitoring Type: AMBIENT AIR MONITORING**

**Monitoring Description:**

Operate the collection system so that the methane concentration is less than 500 part per million above background at the surface of the landfill. To determine if this level is exceeded, the owner or operator shall conduct surface testing around the perimeter of the collection area and along a pattern that traverses the landfill at 30 meter intervals and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover. The owner or operator may establish an alternative traversing pattern that ensures equivalent coverage. A surface monitoring design plan shall be developed that includes a topographical map with the monitoring route and the rationale for any site-specific deviations from the 30 meter intervals. This plan shall be submitted to the Department for review and approval within 60 days of issuance of this permit. The plan shall be revised as needed for any landfill expansion. Areas with steep slopes or other dangerous areas may be excluded from the surface testing.

If monitoring demonstrates that the operational requirements are not met, corrective action shall be taken as specified in §60.755(c) of Subpart WWW. If corrective actions are taken as specified in §60.755, the monitored exceedance is not a violation of the operational requirements in this section, however the permittee shall report these episodes as deviations.

Parameter Monitored: METHANE

Upper Permit Limit: 499 parts per million (by volume)

Monitoring Frequency: QUARTERLY

Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -  
SEE MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 57: Compliance Certification**

Effective between the dates of 06/07/2006 and 06/06/2011



**Applicable Federal Requirement: 40CFR 60.753(e), NSPS Subpart WWW**

**Item 57.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 57.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS

Monitoring Description:

Operate the collection system such that all collected gases are vented to a control system designed and operated in compliance with 40 CFR Part 60.752(b)(2)(iii). In the event the collection or control system is inoperable, the gas mover system shall be shut down and all valves in the collection and control system contributing to venting of the gas to the atmosphere shall be closed within one hour.

Work Practice Type: PROCESS MATERIAL THRUPUT

Process Material: LANDFILL GAS

Upper Permit Limit: 1 hours

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 58: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.753(f), NSPS Subpart WWW**

**Item 58.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 58.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Operate the control or treatment system at all times when the collected gas is routed to the system

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.



**New York State Department of Environmental Conservation**

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 59: Compliance Certification**

Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 40CFR 60.753(g), NSPS Subpart WWW**

**Item 59.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 59.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

If monitoring demonstrates that the operational requirements of 40 CFR Part 60.753(b), (c) or (d) are not met, corrective action shall be taken as specified in 40 CFR Part 60.755(a)(3) through (5) or 40 CFR Part 60.755(c). If corrective actions are taken as specified in 40 CFR Part 60.755, the monitored exceedance is not a violation of the operational requirements in 40 CFR Part 60.753.

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 60: Performance Test**

Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 40CFR 60.754(d), NSPS Subpart WWW**

**Item 60.1:**

For the performance test required in 40 CFR Part 60.752(b)(2)(iii)(B), Method 25, 25C or Method 18 of 40 CFR Part 60 Appendix A shall be used to determine compliance with the 98 weight-percent efficiency or the 20 ppmv outlet concentration level, unless another method to demonstrate compliance has been approved by the Administrator as provided by 40 CFR Part 60.752(b)(2)(i)(B). Method 3 or 3A shall be used to determine oxygen for correcting the NMOC concentration as hexane to 3 percent. In cases where the outlet concentration is less than 50 ppm NMOC as carbon (8 ppm NMOC as hexane), Method 25A should be used in place of Method 25. If using method 18, the minimum list of compounds to be tested shall be those published in the most recent Compilation of Air Pollutant Emission Factors (AP-42). The following equation shall be used to calculate efficiency:

$$\text{Control Efficiency} = (\text{NMOC}_{\text{in}} - \text{NMOC}_{\text{out}}) / (\text{NMOC}_{\text{in}})$$

**New York State Department of Environmental Conservation**

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



where,

NMOC<sub>in</sub> = mass of NMOC entering control device

NMOC<sub>out</sub> = mass of NMOC exiting control device

**Condition 61: Compliance Provisions - collection system**

Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 40CFR 60.755(a), NSPS Subpart WWW**

**Item 61.1:**

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), the specified methods in paragraphs (1) through (6) below, shall be used to determine whether the gas collection system is in compliance with 40 CFR Part 60.752(b)(2)(ii).

1) For the purposes of calculating the maximum expected gas generation flow rate from the landfill to determine compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(1), the following equation shall be used. The k and L<sub>0</sub> kinetic factors should be those published in the most recent Compilation of Air Pollutant Emissions Factors (AP-42) or other site specific values demonstrated to be appropriate for this site and approved by the Administrator. If k has been determined as specified in 40 CFR Part 60.754(a)(4), the value of k determined from the test shall be used. The active life of the landfill is the age of the landfill plus the estimated number of years until closure.

ii) For waste sites with known year-to-year solid waste acceptance rate:

$$Q_M = \sum 2 k L_0 M_i (e^{-kt_i}) ,$$

where,

Q<sub>M</sub> = maximum expected gas generation flow rate, cubic meters per year

k = methane generation rate constant, year<sup>-1</sup>

L<sub>0</sub> = methane generation potential, cubic meters per megagram solid waste

M<sub>i</sub> = mass of solid waste in the i<sup>th</sup> section, megagrams

t<sub>i</sub> = age of the i<sup>th</sup> section (years).

2) For the purposes of determining sufficient density of gas collectors for compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(2), the owner shall design a system of vertical wells, horizontal collectors, or other collection devices, satisfactory to the Administrator, capable of controlling and extracting gas from all portions of the landfill sufficient to meet all operational and performance standards.

3) For the purpose of demonstrating whether the gas collection system flow rate is sufficient to determine compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(3), the owner or operator shall measure gauge pressure in the gas collection header at each individual well, monthly. If a positive pressure exists, action shall be initiated to correct the exceedance within 5 calendar days, except for the three conditions

**New York State Department of Environmental Conservation**

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162



allowed under 40 CFR Part 60.753(b). If negative pressure cannot be achieved without excess air infiltration within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial measurement of positive pressure. Any attempted corrective measure shall not cause exceedances of other operational or performance standards. An alternate timeline for correcting the exceedance may be submitted to the Administrator for approval.

4) Owners or operators are not required to expand the system as required in paragraph (3) above during the first 180 days after gas collection system startup.

5) For the purpose of identifying whether excess air infiltration into the landfill is occurring, the owner or operator shall monitor each well monthly for temperature and nitrogen or oxygen as provided in 40 CFR Part 60.753(c). If a well exceeds one of these operating parameters, action shall be initiated to correct the exceedance within 5 calendar days. If correction of the exceedance cannot be achieved within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial exceedance. Any attempted corrective measure shall not cause exceedances of other operational or performance standards. An alternative timeline for correcting the exceedance may be submitted to the Administrator for approval.

6) An owner or operator seeking to demonstrate compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(4) through the use of a collection system not conforming to the specifications provided in 40 CFR Part 60.759 shall provide information satisfactory to the Administrator as specified in 40 CFR Part 60.752(b)(2)(i)(C) demonstrating that off-site migration is being controlled.

**Condition 62: Compliance Provisions - wells**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.755(b), NSPS Subpart WWW**

**Item 62.1:**

For purposes of compliance with 40 CFR Part 60.753(a), each owner or operator of a controlled landfill shall place each well or design component as specified in the approved design plan as provided in 40 CFR Part 60.752(b)(2)(i). Each well shall be installed no later than 60 days after the date on which the initial solid waste has been in place for a period of:

- 1) 5 years or more if active; or
- 2) 2 years or more if closed or at final grade.

**Condition 63: Compliance Provisions - surface methane**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.755(c), NSPS Subpart WWW**

**Item 63.1:**

The following procedures shall be used for compliance with the surface methane operational standard as provided in 40 CFR Part 60.753(d).

- 1) After installation of the collection system, the owner or operator shall monitor surface



concentrations of methane along the entire perimeter of the collection area and along a pattern that traverses the landfill at 30-meter intervals (or a site-specific established spacing) for each collection area on a quarterly basis using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications provided in 40 CFR Part 60.755(d)

2) The background concentration shall be determined by moving the probe inlet upwind and downwind outside the boundary of the landfill at a distance of at least 30 meters from the perimeter wells.

3) Surface emission monitoring shall be performed in accordance with section 8.3.1 of Method 21 of 40 CFR Part 60 Appendix A, except that the probe inlet shall be placed within 5 to 10 centimeters of the ground. Monitoring shall be performed during typical meteorological conditions.

4) Any reading of 500 parts per million or more above background at any location shall be recorded as a monitored exceedance and the actions specified in paragraphs (4)(i) through (v) below shall be taken. As long as the specified actions are taken, the exceedance is not a violation of the operational requirements of 40 CFR Part 60.753(d).

i) The location of each monitored exceedance shall be marked and the location recorded.

ii) Cover maintenance or adjustments to the vacuum of the adjacent wells to increase the gas collection in the vicinity of each exceedance shall be made and the location shall be re-monitored within 10 calendar days of detecting the exceedance.

iii) If the re-monitoring of the location shows a second exceedance, additional corrective action shall be taken and the location shall be monitored again within 10 days of the second exceedance. If the re-monitoring shows a third exceedance for the same location, the action specified in paragraph (4)(v) below shall be taken, and no further monitoring of that location is required until the action specified in paragraph (4)(v) has been taken.

iv) Any location that initially showed an exceedance but has a methane concentration less than 500 ppm methane above background at the 10-day re-monitoring specified in paragraph (4)(ii) or (iii) below shall be re-monitored 1 month from the initial exceedance. If the 1-month re-monitoring shows a concentration less than 500 parts per million above background, no further monitoring of that location is required until the next quarterly monitoring period. If the 1-month re-monitoring shows an exceedance, the actions specified in paragraph (4)(iii) or (v) shall be taken.

v) For any location where monitored methane concentration equals or exceeds 500 parts per million above background three times within a quarterly period, a new well or other collection device shall be installed within 120 calendar days of the initial exceedance. An alternative remedy to the exceedance, such as upgrading the blower, header pipes or control device, and a corresponding timeline for installation may be submitted to the Administrator for approval.

5) The owner or operator shall implement a program to monitor for cover integrity and implement cover repairs as necessary on a monthly basis.

**Condition 64: Compliance Provisions - instrumentation specifications**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.755(d), NSPS Subpart WWW**

**Item 64.1:**





**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**

Each owner or operator seeking to comply with the provisions in 40 CFR Part 60.755(c) of this section shall comply with the following instrumentation specifications and procedures for surface emission monitoring devices:

- 1) The portable analyzer shall meet the instrument specifications provided in section 6 of Method 21 of 40 CFR Part 60 Appendix A, except that "methane" shall replace all references to VOC.
- 2) The calibration gas shall be methane, diluted to a nominal concentration of 500 parts per million in air.
- 3) To meet the sample, collection, preservation, storage and transport requirements in Section 8.0 of Method 21 of 40 CFR Part 60 Appendix A, the instrument evaluation procedures of section 8.1 of Method 21 shall be used.
- 4) The calibration procedures provided in section 10 of Method 21 of 40 CFR Part 60 Appendix A of this part shall be followed immediately before commencing a surface monitoring survey.

**Condition 65: Compliance Provisions - Start-up, shutdown, or malfunction**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.755(e), NSPS Subpart WWW**

**Item 65.1:**

The provisions of this subpart apply at all times, except during periods of start-up, shutdown, or malfunction, provided that the duration of start-up, shutdown, or malfunction shall not exceed 5 days for collection systems and shall not exceed 1 hour for treatment or control devices.

**Condition 66: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.756(a), NSPS Subpart WWW**

**Item 66.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 66.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(ii)(A) for an active gas collection system shall install a sampling port and a thermometer, other temperature measuring device, or an access port for temperature measurements at each wellhead and:

- (1) Measure the gauge pressure in the gas collection

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



header on a monthly basis as provided in 40 CFR Part 60.755(a)(3); and

(2) Monitor nitrogen or oxygen concentration in the landfill gas on a monthly basis as provided in 40 CFR Part 60.755(a)(5); and

(3) Monitor temperature of the landfill gas on a monthly basis as provided in 40CFR Part 60.755(a)(5).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 67: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.756(b), NSPS Subpart WWW**

**Item 67.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 67.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(iii) using an enclosed combustor shall calibrate, maintain, and operate according to the manufacturer's specifications, the following equipment.

(1) A temperature monitoring device equipped with a continuous recorder and having a minimum accuracy of  $\pm 1$  percent of the temperature being measured expressed in degrees Celsius or  $\pm 0.5$  oC, whichever is greater. A temperature monitoring device is not required for boilers or process heaters with design heat input capacity greater than 44 megawatts.

(2) A device that records flow to or bypass of the control device. The owner or operator shall either:

(i) Install, calibrate, and maintain a gas flow rate measuring device that shall record the flow to the control



device at least every 15 minutes; or  
(ii) Secure the bypass line valve in the closed position with a car-seal or a lock-and-key type configuration. A visual inspection of the seal or closure mechanism shall be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 68: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.756(f), NSPS Subpart WWW**

**Item 68.1:**

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):  
CAS No: 000074-82-8 METHANE

**Item 68.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: AMBIENT AIR MONITORING

Monitoring Description:

Each owner or operator seeking to demonstrate compliance with 40CFR Part 60.755(c), shall monitor surface concentrations of methane according to the instrument specifications and procedures provided in 40CFR Part 60.755(d). Any closed landfill that has no monitored exceedances of the operational standard in three consecutive quarterly monitoring periods may skip to annual monitoring. Any methane reading of 500 ppm or more above background detected during the annual monitoring returns the frequency for that landfill to quarterly monitoring.

For safety purposes, if a section of the landfill is covered with snow and/or ice for an entire quarter, that section of the landfill does not need to be included in the surface scan required for that quarter under 40 CFR

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



60 Subpart WWW. The facility must return to quarterly surface monitoring in the event that conditions improve (i.e., if the snow and ice melt and the ground surface is again accessible to the monitoring instruments) during the quarterly monitoring period.

Parameter Monitored: METHANE  
Upper Permit Limit: 499 parts per million (by volume)  
Reference Test Method: EPA RM 21  
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION  
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 69:    Reporting Requirements - Closure Report**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.757(d), NSPS Subpart WWW**

**Item 69.1:**

Each owner or operator of a controlled landfill shall submit a closure report to the Administrator within 30 days of waste acceptance cessation. The Administrator may request additional information as may be necessary to verify that permanent closure has taken place in accordance with the requirements of 40 CFR Part 258.60 of this title. If a closure report has been submitted to the Administrator, no additional wastes may be placed into the landfill without filing a notification of modification as described under 40 CFR Part 60.7(a)(4).

**Condition 70:    Reporting Requirements - Control Equipment Removal**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.757(e), NSPS Subpart WWW**

**Item 70.1:**

Each owner or operator of a controlled landfill shall submit an equipment removal report to the Administrator 30 days prior to removal or cessation of operation of the control equipment.

(1) The equipment removal report shall contain all of the following items:

(i) A copy of the closure report submitted in accordance with 40 CFR Part 60.757(d) of this section;



(ii) A copy of the initial performance test report demonstrating that the 15 year minimum control period has expired; and

(iii) Dated copies of three successive NMOC emission rate reports demonstrating that the landfill is no longer producing 50 megagrams or greater of NMOC per year.

(2) The Administrator may request such additional information as may be necessary to verify that all of the conditions for removal in 40 CFR Part 60.752(b)(2)(v) have been met.

**Condition 71:    Reporting requirements - Collection and control system**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.757(g), NSPS Subpart WWW**

**Item 71.1:**

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(iii) shall include the following information with the initial performance test report required under 40 CFR Part 60.8:

1) A diagram of the collection system showing collection system positioning including all wells, horizontal collectors, surface collectors, or other gas extraction devices, including the locations of any areas excluded from collection and the proposed sites for the future collection system expansion;

2) The data upon which the sufficient density of wells, horizontal collectors, surface collectors, or other gas extraction devices and the gas mover equipment sizing are based;

3) The documentation of the presence of asbestos or nondegradable material for each area from which collection wells have been excluded based on the presence of asbestos or nondegradable material;

4) The sum of the gas generation flow rates for all areas from which collection wells have been excluded based on nonproductivity and the calculations of gas generation flow rate for each excluded area; and

5) The provisions for increasing gas mover equipment capacity with increased gas generation flow rate, if the present gas mover equipment is inadequate to move the maximum flow rate expected over the life of the landfill; and

6) The provisions for the control of off-site migration.

**Condition 72:    Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.758(a), NSPS Subpart WWW**

**Item 72.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 72.2:**

Compliance Certification shall include the following monitoring:

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



**Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES**

**Monitoring Description:**

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator of an MSW landfill subject to the provisions of 40 CFR Part 60.752(b) shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity report which triggered 40 CFR Part 60.752(b), the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable.

**Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION**

**Reporting Requirements: SEMI-ANNUALLY (CALENDAR)**

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 73: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.758(b), NSPS Subpart WWW**

**Item 73.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 73.2:**

Compliance Certification shall include the following monitoring:

**Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES**

**Monitoring Description:**

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator of a controlled landfill shall keep up-to-date, readily accessible records for the life of the control equipment of the data listed in paragraphs (1) through (4) below as measured during the initial performance test or compliance determination. Records of subsequent tests or monitoring shall be maintained for a minimum of 5 years. Records of the control device vendor specifications shall be maintained until removal.

1) Where an owner or operator seeks to demonstrate compliance with 40 CFR Part 60.752(b)(2)(ii):



i) The maximum expected gas generation flow rate as calculated in 40 CFR Part 60.755(a)(1). The owner or operator may use another method to determine the maximum gas generation flow rate, if the method has been approved by the Administrator.

ii) The density of wells, horizontal collectors, surface collectors, or other gas extraction devices determined using the procedures specified in 40 CFR Part 60.759(a)(1).

2) Where an owner or operator subject to the provisions of this subpart seeks to demonstrate compliance with 40 CFR Part 60.752(b)(2)(iii) through use of an enclosed combustion device other than a boiler or process heater with a design heat input capacity greater than 44 megawatts:

i) The average combustion temperature measured at least every 15 minutes and averaged over the same time period of the performance test.

ii) The percent reduction of NMOC determined as specified in 40 CFR Part 60.752(b)(2)(iii)(B) achieved by the control device.

3) Where an owner or operator subject to the provisions of this subpart seeks to demonstrate compliance with 40 CFR Part 60.752(b)(2)(iii)(B)(1) through use of a boiler or process heater of any size: a description of the location at which the collected gas vent stream is introduced into the boiler or process heater over the same time period of the performance testing.

4) Where an owner or operator seeks to demonstrate compliance with 40 CFR Part 60.752(b)(2)(iii)(A) through use of an open flare, the flare type (i.e., steam-assisted, air-assisted, or nonassisted), all visible emission readings, heat content determination, flow rate or bypass flow rate measurements, and exit velocity determinations made during the performance test as specified in 40 CFR Part 60.18; continuous records of the flare pilot flame or flare flame monitoring and records of all periods of operations during



**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**

which the pilot flame of the flare flame is absent.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING  
DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 74: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.758(c), NSPS Subpart WWW**

**Item 74.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 74.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator of a controlled landfill shall keep for 5 years up-to-date, readily accessible continuous records of the equipment operating parameters specified to be monitored in 40 CFR Part 60.756 as well as up-to-date, readily accessible records for periods of operation during which the parameter boundaries established during the most recent performance test are exceeded.

1) The following constitute exceedances that shall be recorded and reported under 40 CFR Part 60.757(f):

i) For enclosed combustors except for boilers and process heaters with design heat input capacity of 44 megawatts (150 million British thermal unit per hour) or greater, all 3-hour periods of operation during which the average combustion temperature was more than 28 degrees C below the average combustion temperature during the most recent performance test at which compliance with 40 CFR Part 60.752(b)(2)(iii) was determined.

ii) For boilers or process heaters, whenever there is a change in the location at which the vent stream is



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



introduced into the flame zone as required under paragraph 40 CFR Part 60.758(b)(3)(i) of this section.

2) Each owner or operator shall keep up-to-date, readily accessible continuous records of the indication of flow to the control device or the indication of bypass flow or records of monthly inspections of car-seals or lock-and-key configurations used to seal bypass lines, specified under 40 CFR Part 60.756.

3) Each owner or operator subject to the provisions of this subpart who uses a boiler or process heater with a design heat input capacity of 44 megawatts or greater to comply with 40 CFR Part 60.752(b)(2)(iii) shall keep an up-to-date, readily accessible record of all periods of operation of the boiler or process heater. (Examples of such records could include records of steam use, fuel use, or monitoring data collected pursuant to other State, local, Tribal, or Federal regulatory requirements.)

4) Each owner or operator seeking to comply by use of an open flare shall keep up-to-date, readily accessible continuous records of the flame or flare pilot flame monitoring specified under 40 CFR Part 60.756(c), and up-to-date, readily accessible records of all periods of operation in which the flame or flare pilot flame is absent.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 75: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.758(d), NSPS Subpart WWW**

**Item 75.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 75.2:**

Compliance Certification shall include the following monitoring:



**Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES**  
**Monitoring Description:**

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator shall keep for the life of the collection system an up-to-date, readily accessible plot map showing each existing and planned collector in the system and providing a unique identification location label for each collector.

1) Each owner or operator shall keep up-to-date, readily accessible records of the installation date and location of all newly installed collectors as specified under 40 CFR Part 60.755(b).

2) Each owner or operator shall keep readily accessible documentation of the nature, date of deposition, amount, and location of asbestos-containing or nondegradable waste excluded from collection as provided in 40 CFR Part 60.759(a)(3)(i) as well as any nonproductive areas excluded from collection as provided in 40 CFR Part 60.759(a)(3)(ii).

**Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION**

**Reporting Requirements: SEMI-ANNUALLY (CALENDAR)**

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 76: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.758(e), NSPS Subpart WWW**

**Item 76.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 76.2:**

Compliance Certification shall include the following monitoring:

**Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES**  
**Monitoring Description:**

Except as provided in 40 CFR Part 60.752(b)(2)(i)(B), each owner or operator shall keep for at least 5 years up-to-date, readily accessible records of all collection and control system exceedances of the operational



standards in 40 CFR Part 60.753, the reading in the subsequent month whether or not the second reading is an exceedance, and the location of each exceedance.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 77:    Specifications for active collection systems**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.759(a), NSPS Subpart WWW**

**Item 77.1:**

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(i) shall site active collection wells, horizontal collectors, surface collectors, or other extraction devices at a sufficient density throughout all gas producing areas using the following procedures unless alternative procedures have been approved by the Administrator as provided in 40 CFR 60.752(b)(2)(i)(C) and (D):

1) The collection devices within the interior and along the perimeter areas shall be certified to achieve comprehensive control of surface gas emissions by a professional engineer. The following issues shall be addressed in the design: depths of refuse, refuse gas generation rates and flow characteristics, cover properties, gas system expandability, leachate and condensate management, accessibility, compatibility with filling operations, integration with closure end use, air intrusion control, corrosion resistance, fill settlement, and resistance to the refuse decomposition heat.

2) The sufficient density of gas collection devices determined in paragraph (1) above shall address landfill gas migration issues and augmentation of the collection system through the use of active or passive systems at the landfill perimeter or exterior.

3) The placement of gas collection devices determined in paragraph (1) above shall control all gas producing areas, except as provided by paragraphs (3)(i) and (3)(ii) below.

i) Any segregated area of asbestos or nondegradable material may be excluded from collection if documented as provided under 40 CFR Part 60.758(d). The documentation shall provide the nature, date of deposition, location and amount of asbestos or nondegradable material deposited in the area, and shall be provided to the Administrator upon request.

ii) Any nonproductive area of the landfill may be excluded from control, provided that the total of all excluded areas can be shown to contribute less than 1 percent of the total amount of NMOC emissions from the landfill. The amount, location, and age of the material shall be documented and provided to the Administrator upon request. A separate NMOC emissions estimate shall be made for each section proposed for exclusion, and the sum of all such sections shall be compared to the NMOC emissions estimate for the entire landfill. Emissions from each section shall be computed using the



following equation:

$$Q_i = 2 k L_o M_i (e^{-kt_i}) (C_{NMOC}) (3.6 \times 10^{-9})$$

where,

$Q_i$  = NMOC emission rate from the  $i$ th section, megagrams per year

$k$  = methane generation rate constant, year<sup>-1</sup>

$L_o$  = methane generation potential, cubic meters per megagram solid waste

$M_i$  = mass of the degradable solid waste in the  $i$ th section, megagram

$t_i$  = age of the solid waste in the  $i$ th section, years

$C_{NMOC}$  = concentration of nonmethane organic compounds, parts per million by volume

$3.6 \times 10^{-9}$  = conversion factor

iii) The values for  $k$  and  $C_{NMOC}$  determined in field testing shall be used, if field testing has been performed in determining the NMOC emission rate or the radii of influence (the distance from the well center to a point in the landfill where the pressure gradient applied by the blower or compressor approaches zero). If field testing has not been performed, the default values for  $k$ ,  $L_o$  and  $C_{NMOC}$  provided in 40 CFR Part 60.754(a)(1) or the alternative values from 40 CFR Part 60.754(a)(5) shall be used. The mass of nondegradable solid waste contained within the given section may be subtracted from the total mass of the section when estimating emissions provided the nature, location, age, and amount of the nondegradable material is documented as provided in paragraph (3)(i) above.

**Condition 78: Specifications for active collection systems**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.759(c), NSPS Subpart WWW**

**Item 78.1:**

Each owner or operator seeking to comply with 40 CFR Part 60.752(b)(2)(i)(A) shall convey the landfill gas to a control system in compliance with 40 CFR Part 60.752(b)(2)(iii) through the collection header pipe(s). The gas mover equipment shall be sized to handle the maximum gas generation flow rate expected over the intended use period of the gas moving equipment using the following procedures:

1) For existing collection systems, the flow data shall be used to project the maximum flow rate. If no flow data exists, the procedures in paragraph (2) below shall be used.

2) For new collection systems, the maximum flow rate shall be in accordance with 40 CFR Part 60.755(a)(1).

**Condition 79: Asbestos-containing waste material standard for active waste disposal sites**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 61.154, NESHAP Subpart M**



**Item 79.1:**

Owner or operator shall comply with the requirements of 40 CFR Part 61.154 when accepting asbestos-containing waste material from any source required to comply with 40 CFR Part 61.149, 61.150, or 61.155.

**Condition 80: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 63.1955(b), Subpart AAAA**

**Item 80.1:**

The Compliance Certification activity will be performed for the Facility.

Regulated Contaminant(s):  
CAS No: 0NY100-00-0    HAP

**Item 80.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

If you are required by 40CFR60.752(b)(2) of subpart WWW, the Federal plan, or an EPA approved and effective State or tribal plan to install a collection and control system, you must comply with the requirements in §§63.1960 through 63.1985 and with the general provisions of part 63 as specified in table 1 of Subpart AAAA.

The facility shall develop and implement a written startup, shutdown, and malfunction (SSM) plan that describes, in detail, procedures for operating and maintaining the source during periods of startup, shutdown, and malfunction; a program of corrective action for malfunctioning process; and air pollution control and monitoring equipment used to comply with this standard.

This plan must be developed by the facility by the compliance date of 40CFR63, subpart AAAA (the landfill NESHAP) and must comply with all of the provisions as listed in §63.6(e)(3)(ii)-(ix) which includes the following provisions:

- During periods of startup, shutdown, and malfunction, the facility must operate and maintain the affected source in accordance with the procedures specified in the SSM



plan.

- When actions taken by the owner/operator during a startup, shutdown, or malfunction are consistent with the procedures specified in the affected source's SSM plan, the owner/operator must keep records for that event which demonstrate that the procedures specified in the plan were followed. In addition, the owner/operator must keep records of these events as specified in §63.10(b), including records of operation and each malfunction of the air pollution control and monitoring equipment. Furthermore, the owner/operator shall confirm that actions taken during the startup, shutdown, and malfunction were consistent with the SSM plan in the semiannual report as required in §63.10(d)(5).

- If an action taken by the facility is not consistent with the SSM plan, and the affected source exceeds the relevant emission standard, then the owner/operator must record the actions taken for that event and must report such actions within 2 working days after commencing actions inconsistent with the SSM plan, followed by a letter within 7 working days after the end of the event.

- EPA or NYSDEC may at any time request in writing that the facility submit a copy of the SSM plan (or a portion thereof) which is maintained at the affected source. Upon receipt of such a request, the facility must promptly submit a copy of the requested plan to EPA or NYSDEC. EPA or NYSDEC must request that the facility submit a SSM plan whenever a member of the public submits a specific and reasonable request to examine or to receive a copy of that plan or portion of a plan. If the facility claims that any portion of such a SSM plan is confidential business information entitled to protection from disclosure under section 114(c) of the Act or 40CFR2.301, the material which is claimed as confidential must be clearly designated in the submission.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING  
DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Condition 81: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 63.1980(a), NESHAP Subpart AAAA**

**Item 81.1:**

The Compliance Certification activity will be performed for the Facility.

**Item 81.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

Each owner or operator of a landfill seeking to comply with 40 CFR Part 60.752(b)(2) using an active collection system designed in accordance with 40 CFR Part 60.752(b)(2)(ii) shall submit to the Administrator semiannual reports of the recorded information in paragraphs (1) through (6) below. The initial semiannual report shall be submitted within 180 days of installation and start-up of the collection and control system, and shall include the initial performance test report required under 40 CFR Part 60.8. For enclosed combustion devices and flares, reportable exceedances are defined under 40 CFR Part 60.758(c).

(1) Value and length of time for exceedance of applicable parameters monitored under 40 CFR Part 60.756(a), (b), (c), and (d).

(2) Description and duration of all periods when the gas stream is diverted from the control device through a bypass line or the indication of bypass flow as specified under 40 CFR Part 60.756.

(3) Description and duration of all periods when the control device was not operating for a period exceeding 1 hour and length of time the control device was not operating.

(4) All periods when the collection system was not operating in excess of 5 days.

(5) The location of each exceedance of the 500 parts per million methane concentration as provided in 40 CFR Part 60.753(d) and the concentration recorded at each location for which an exceedance was

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



recorded in the previous month.

(6) The date of installation and the location of each well or collection system expansion added pursuant to paragraphs 40 CFR Part 60.755(a)(3), (b), and (c)(4).

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**\*\*\*\* Emission Unit Level \*\*\*\***

**Condition 82:    Emission Point Definition By Emission Unit**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6**

**Item 82.1:**

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit:    E-U0001

Emission Point:    EP001

Height (ft.): 21      Diameter (in.): 10  
NYTMN (km.): 4772.621    NYTME (km.): 306.129    Building: POWERPLANT

Emission Point:    EP002

Height (ft.): 21      Diameter (in.): 10  
NYTMN (km.): 4772.621    NYTME (km.): 306.129    Building: POWERPLANT

Emission Point:    EP003

Height (ft.): 21      Diameter (in.): 10  
NYTMN (km.): 4772.621    NYTME (km.): 306.129    Building: POWERPLANT

Emission Point:    EP004

Height (ft.): 21      Diameter (in.): 10  
NYTMN (km.): 4772.621    NYTME (km.): 306.129    Building: POWERPLANT

Emission Point:    EP005

Removal Date: 08/01/2000  
Height (ft.): 23      Diameter (in.): 8  
NYTMN (km.): 4772.621    NYTME (km.): 306.129





**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**

Emission Point: EP007			
Height (ft.): 50	Diameter (in.): 144		
Emission Point: EP008			
Height (ft.): 60	Diameter (in.): 156		
Emission Point: EP009			
Height (ft.): 29	Diameter (in.): 14	Building: POWERPLANT	
Emission Point: EP010			
Height (ft.): 29	Diameter (in.): 14	Building: POWERPLANT	
Emission Point: EP011			
Height (ft.): 29	Diameter (in.): 14	Building: POWERPLANT	
Emission Point: EP012			
Height (ft.): 29	Diameter (in.): 14	Building: POWERPLANT	

**Condition 83: Process Definition By Emission Unit**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 201-6**

**Item 83.1:**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001  
Process: 001  
Source Classification Code: 5-01-004-21  
Process Description:

Collected landfill gas will be routed to the landfill gas-to-energy plant. The engine generator sets (consisting of four (4) Caterpillar 3516 internal combustion engines) will combust the collected landfill gas to generate electricity for sale. The combustion of landfill gas results in the emission of criteria pollutants.

The landfill gas-to-energy plant also generates emissions from the "crankcase breather vent." Each engine has a crankcase for engine oil. The purpose of the crankcase breather vent is to remove water vapor from the crankcase in order to prevent water from collecting in the oil pan. The water vapor may contain an oil mist. The breather

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



vent in each engine removes the vapors generated within the crankcase and ducts them to a single common emission point called the crankcase breather vent. The mist can be reported as PM. Other insignificant activities include emissions from oil tanks, a condensate tank, and a gas chromatograph vent. Calculations for all of these activities are provided in the application. The emissions have been included in the facility emission summary.

Emission Source/Control: 0ENG1 - Combustion  
Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: 0ENG2 - Combustion  
Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: 0ENG3 - Combustion  
Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: 0ENG4 - Combustion  
Design Capacity: 1,138 horsepower (mechanical)

Emission Source/Control: LANDF - Process  
Design Capacity: 20,619,630 cubic meters

**Item 83.2:**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001  
Process: 006      Source Classification Code: 5-01-004-02  
Process Description:  
Landfill gas collection system (LGCS) is assumed to be 85% efficient. The remaining 15% is uncollected emissions (fugitive emissions).

Emission Source/Control: LANDF - Process  
Design Capacity: 20,619,630 cubic meters

**Item 83.3:**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001  
Process: 007      Source Classification Code: 5-01-004-10  
Process Description:  
Landfill gas is combusted in several devices at the High Acres Landfill. Collected landfill gas will be routed to either the existing landfill gas-to-energy plant, the new gas-to-energy plant, or it will be collected and conveyed

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



to an existing 136.3 MMBtu/hr (4500-cfm) enclosed flare (designated as FLAR2) and/or a new 181.7 MMBtu/hr enclosed flare (designated as FLAR3). This process is for landfill gas being conveyed to the two flares. The combustion of landfill gas results in the emission of criteria pollutants. The maximum gas allowed to be combusted through the two flares is a total of 318 MMBtu/hr.

Emission Source/Control: FLAR2 - Control  
Control Type: FLARING

Emission Source/Control: FLAR3 - Control  
Control Type: FLARING

Emission Source/Control: LANDF - Process  
Design Capacity: 20,619,630 cubic meters

**Item 83.4:**

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: E-U0001

Process: 008

Source Classification Code: 4-04-001-63

**Process Description:**

Collected landfill gas will be routed to either the engine plant or to the existing flare or the new flare. This process is for gas routed through the new engine plant containing the CAT 3520 internal combustion engines. The engine generator sets will combust the collected landfill gas to generate electricity for sale. The combustion of landfill gas results in the emission of criteria pollutants.

The landfill gas-to-energy plant also generates emissions from the "crankcase breather vent." Each engine has a crankcase for engine oil. The purpose of the crankcase breather vent is to remove water vapor from the crankcase in order to prevent water from collecting in the oil pan. The water vapor may contain an oil mist. The breather vent in each engine removes the vapors generated within the crankcase and ducts them to a single common emission point called the crankcase breather vent. The mist can be reported as PM. Other insignificant activities include emissions from oil tanks, a condensate tank, and a gas chromatograph vent. Calculations for all of these activities are provided in the application. The emissions have been included in the facility emission summary.

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



Emission Source/Control: ENG05 - Combustion  
Design Capacity: 2,233 horsepower (mechanical)

Emission Source/Control: ENG06 - Combustion  
Design Capacity: 2,233 horsepower (mechanical)

Emission Source/Control: ENG07 - Combustion  
Design Capacity: 2,233 horsepower (mechanical)

Emission Source/Control: ENG08 - Combustion  
Design Capacity: 2,233 horsepower (mechanical)

Emission Source/Control: LANDF - Process  
Design Capacity: 20,619,630 cubic meters

**Condition 84: Emissions from new emission sources and/or modifications**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 212.4(a)**

**Item 84.1:**

This Condition applies to Emission Unit: E-U0001

**Item 84.2:**

No person shall cause or allow emissions that exceed the applicable permissible emission rate as determined from Table 2, Table 3, or Table 4 of 6 NYCRR Part 212 for the environmental rating issued by the commissioner.

**Condition 85: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-2.3(c)**

**Item 85.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Regulated Contaminant(s):  
CAS No: 0NY210-00-0 OXIDES OF NITROGEN

**Item 85.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES

Monitoring Description:

The facility is subject to the NOx RACT requirements of



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**

6NYCRR Part 227-2. The facility is required to submit an operating plan as described in 6NYCRR Part 227-2.3(c) to the Department for approval. The facility must operate the applicable NOx sources in accordance with the approved operating plan. This will ensure that the engines are operating under the same conditions as the most recent approved performance test. The document shall be updated when any changes occur.

The plan must include provisions to maintain daily fuel usage records and to perform maintenance on each internal combustion engine in use at the facility in accordance with the facility's Operations and Maintenance Manual.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 86: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-1.3(a)**

**Item 86.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

**Item 86.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20% opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. The facility will perform a visual observation of each exhaust and crankcase vent on a daily basis during business days (this excludes holidays and weekends). If any opacity is noted, corrective action will be taken immediately or a Method 9 will be performed within 2 business days. The facility

**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



shall keep records of daily observations and any corrective action performed in a format acceptable to the Department.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 87: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-2.4(f)(2)(iii)**

**Item 87.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

Regulated Contaminant(s):

CAS No: 0NY210-00-0 OXIDES OF NITROGEN

**Item 87.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The facility will limit NOx emissions from each engine to 2.0 grams per brake horsepower-hour. The facility will measure and record oxygen levels in the exhaust stack of each engine on a monthly basis. The output/emissions from the engines are regulated by an air/fuel ratio controller, which automatically adjusts the air/fuel ratio of the inlet fuel supply as needed. The range of oxygen levels is based on manufacturer's specifications of an engine operating at full load. This range may be modified based on the most recent approved emissions test.

Parameter Monitored: OXYGEN O2



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**

Lower Permit Limit: 6.3 percent  
Upper Permit Limit: 9.0 percent  
Monitoring Frequency: MONTHLY  
Averaging Method: RANGE - NOT TO FALL OUTSIDE OF STATED  
RANGE AT ANY TIME  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 88: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-2.4(f)(2)(iii)**

**Item 88.1:**  
The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 001

Regulated Contaminant(s):  
CAS No: 0NY210-00-0    OXIDES OF NITROGEN

**Item 88.2:**  
Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING  
Monitoring Description:

In order to show compliance with the NO<sub>x</sub> RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to conduct instantaneous testing over a 15-minute period (in order to ensure a stabilized reading) semiannually per calendar year using a portable NO<sub>x</sub> analyzer. The sampling will be done in accordance with the analyzer manufacturer's recommendations for testing and calibration (using non-EPA methods).

The facility shall use the average flow exhaust rate determined in the most recent approved performance test in order to convert the concentration measured to a mass rate for the purpose of demonstrating compliance with the specified limit.

Upper Permit Limit: 2.0 grams per brake horsepower-hour  
Reference Test Method: Method (See Monitoring Description)

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



Monitoring Frequency: SEMI-ANNUALLY  
Averaging Method: AVERAGING METHOD - SEE MONITORING  
DESCRIPTION  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 89: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-2.6(c)**

**Item 89.1:**  
The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 001

Regulated Contaminant(s):  
CAS No: 0NY210-00-0    OXIDES OF NITROGEN

**Item 89.2:**  
Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING  
Monitoring Description:

In order to show compliance with the NOx RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to conduct an emission test under 6NYCRR Part 227-2.6(a)(7). In accordance with this requirement, the facility must:

1) submit a compliance test protocol to the Department for approval at least 30 days prior to emission testing. The conditions of the testing and the locations of the sampling devices must be acceptable to the Department; and

2) utilize the procedures set forth in 40 CFR Part 60, Appendix A or any other method acceptable to the Department and the Administrator for determining compliance with the NOx limit of 2.0 grams per brake horsepower-hour, and must, in addition, follow the procedures set forth in 6NYCRR Part 202 as follows:

For stationary internal combustion engines, utilize Method



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



7, 7E, or 19 from 40 CFR Part 60, Appendix A or another reference method approved by the Department;

3) submit a compliance test report containing the results of the emission test to the Department no later than 60 days after completion of the emission test.

The facility should complete the initial performance test no later than 180 days of startup of the engine plant. The facility must conduct the required emissions test at 100% +/- 10% load on each engine type determined by the Department. The Department will base its decision using the NOx emission rates as determined by the portable NOx analyzer prior to the emissions test.

Prior to renewal of the Title V permit, the facility must complete a second performance test utilizing procedures for engine selection and testing as described above. This performance test must be completed no later than 180 days prior to expiration of the Title V permit.

Upper Permit Limit: 2.0 grams per brake horsepower-hour

Reference Test Method: EPA Method 7, 7E or 19

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 90: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 90.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

Regulated Contaminant(s):

CAS No: 0NY998-20-0 NMOC - LANDFILL USE ONLY

**Item 90.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Monitoring Description:**

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emissions of NMOC by 98% (by weight). Refer to 40CFR 60.754(d) for the specified test methods.

The facility shall complete one performance test during the term of this permit. The facility must conduct the required emissions test at 100% +/- 10% load on one 3516 engine in process 001 determined by the Department. The Department will base its decision using the NOx emission rates as determined by the portable NOx analyzer prior to the emissions test.

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 98 percent reduction by weight

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST  
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 91: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 91.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 001

Regulated Contaminant(s):

CAS No: 0NY998-20-0    NMOC - LANDFILL USE ONLY

**Item 91.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emissions of NMOC by 98% (by weight). Refer to 40CFR 60.754(d) for the specified test methods.

The facility shall complete one performance test during the term of this permit. The facility must conduct the required emissions test at 100% +/- 10% load on one 3516 engine in process 001 determined by the Department. The Department will base its decision using the NOx emission rates as determined by the portable NOx analyzer prior to the emissions test.

Parameter Monitored: NMOC - LANDFILL USE ONLY  
Upper Permit Limit: 20 parts per million by volume (dry, corrected to 3% oxygen)  
Reference Test Method: RM 18, 25, 25A, 25C  
Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT  
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED  
Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 92: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 212.6(a)**

**Item 92.1:**  
The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 007

**Item 92.2:**  
Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20% opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. The facility will perform a visual observation of each flare on a daily



**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**

basis during business days (this excludes holidays and weekends). If any opacity is noted, corrective action will be taken immediately or a Method 9 will be performed within 2 business days. The facility shall keep records of daily observations and any corrective action performed in a format acceptable to the Department.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING

**DESCRIPTION**

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 93: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 93.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR2

Regulated Contaminant(s):

CAS No: 0NY998-20-0 NMOC - LANDFILL USE ONLY

**Item 93.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.



**New York State Department of Environmental Conservation**

Permit ID: 8-9908-00162/00043

Facility DEC ID: 8990800162

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 98 percent reduction by weight

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST  
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 94: Compliance Certification**

Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 94.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR2

Regulated Contaminant(s):

CAS No: 0NY998-20-0 NMOC - LANDFILL USE ONLY

**Item 94.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 20 parts per million by volume (dry,  
corrected to 3% oxygen)

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST  
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 95: Compliance Certification**

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.758(c), NSPS Subpart WWW**

**Item 95.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 007      Emission Source: FLAR2

**Item 95.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The stack temperature in the flare shall not fall below 1549 degrees F, for any three hour block average. This limit is based on the stack test performed on June 6, 2001 for flare FLAR2 where it was determined that the average combustion temperature was 1600 degrees F.

Parameter Monitored: TEMPERATURE  
Lower Permit Limit: 1549 degrees Fahrenheit  
Monitoring Frequency: FOUR TIMES PER HOUR  
Averaging Method: 3-HOUR BLOCK AVERAGE  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 96: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 96.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 007      Emission Source: FLAR3

Regulated Contaminant(s):  
CAS No: 0NY998-20-0      NMOC - LANDFILL USE ONLY

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Item 96.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.

Parameter Monitored: NMOC - LANDFILL USE ONLY

Upper Permit Limit: 98 percent reduction by weight

Reference Test Method: RM 18, 25, 25A, 25C

Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT

Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST  
METHOD INDICATED

Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 97: Compliance Certification**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 97.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001

Process: 007

Emission Source: FLAR3

Regulated Contaminant(s):

CAS No: 0NY998-20-0      NMOC - LANDFILL USE ONLY

**Item 97.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**

control device to determine that the device is reducing the emission of NMOC by 98% (by weight). Refer to 40 CFR 60.754(d) for the specified test methods.

Parameter Monitored: NMOC - LANDFILL USE ONLY  
Upper Permit Limit: 20 parts per million by volume (dry, corrected to 3% oxygen)  
Reference Test Method: RM 18, 25, 25A, 25C  
Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT  
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST METHOD INDICATED  
Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 98: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.758(c), NSPS Subpart WWW**

**Item 98.1:**  
The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 007      Emission Source: FLAR3

**Item 98.2:**  
Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The average combustion temperature for FLAR3 will be determined by the stack test required by this permit. This flare shall not operate such that the temperature in the stack for any three hour block average is more than 28 degrees Celsius below the average combustion temperature determined during the approved stack test.

Parameter Monitored: TEMPERATURE  
Lower Permit Limit: 28 degrees C below the approved performance test combustion temperature

Monitoring Frequency: FOUR TIMES PER HOUR  
Averaging Method: 3-HOUR BLOCK AVERAGE  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Condition 99: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-1.3(a)**

**Item 99.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 008

**Item 99.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20% opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. The facility will perform a visual observation of each exhaust and crankcase vent on a daily basis during business days (this excludes holidays and weekends). If any opacity is noted, corrective action will be taken immediately or a Method 9 will be performed within 2 business days. The facility shall keep records of daily observations and any corrective action performed in a format acceptable to the Department.

Parameter Monitored: OPACITY

Upper Permit Limit: 20 percent

Reference Test Method: EPA Method 9

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING  
DESCRIPTION

Averaging Method: 6 MINUTE AVERAGE

Reporting Requirements: SEMI-ANNUALLY (CALENDAR)

Reports due 30 days after the reporting period.

The initial report is due 7/30/2006.

Subsequent reports are due every 6 calendar month(s).

**Condition 100: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-2.4(f)(2)(iii)**

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



**Item 100.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 008

Regulated Contaminant(s):  
CAS No: 0NY210-00-0    OXIDES OF NITROGEN

**Item 100.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL  
DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The facility will limit NOx emissions from each engine to 2.0 grams per brake horsepower-hour. The facility will measure and record oxygen levels in the exhaust stack of each engine on a monthly basis. The output/emissions from the engines are regulated by an air/fuel ratio controller, which automatically adjusts the air/fuel ratio of the inlet fuel supply as needed. The range of oxygen levels is based on manufacturer's specifications of an engine operating at full load. This range may be modified based on the most recent approved emissions test.

Parameter Monitored: OXYGEN O2  
Lower Permit Limit: 6.3 percent  
Upper Permit Limit: 9.0 percent  
Monitoring Frequency: MONTHLY  
Averaging Method: RANGE - NOT TO FALL OUTSIDE OF STATED  
RANGE AT ANY TIME  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 101: Compliance Certification**

Effective between the dates of 06/07/2006 and 06/06/2011

Applicable Federal Requirement: 6NYCRR 227-2.4(f)(2)(iii)

**Item 101.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 008

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



Regulated Contaminant(s):  
CAS No: 0NY210-00-0    OXIDES OF NITROGEN

**Item 101.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

In order to show compliance with the NOx RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to conduct instantaneous testing over a 15-minute period (in order to ensure a stabilized reading) semiannually per calendar year using a portable NOx analyzer. The sampling will be done in accordance with the analyzer manufacturer's recommendations for testing and calibration (using non-EPA methods).

The facility shall use the average flow exhaust rate determined in the most recent approved performance test in order to convert the concentration measured to a mass rate for the purpose of demonstrating compliance with the specified limit.

Upper Permit Limit: 2.0 grams per brake horsepower-hour  
Reference Test Method: Method (See Monitoring Description)  
Monitoring Frequency: SEMI-ANNUALLY  
Averaging Method: AVERAGING METHOD - SEE MONITORING DESCRIPTION  
Reporting Requirements: SEMI-ANNUALLY (CALENDAR)  
Reports due 30 days after the reporting period.  
The initial report is due 7/30/2006.  
Subsequent reports are due every 6 calendar month(s).

**Condition 102: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 6NYCRR 227-2.6(c)**

**Item 102.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 008

Regulated Contaminant(s):



CAS No: 0NY210-00-0    OXIDES OF NITROGEN

**Item 102.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

In order to show compliance with the NO<sub>x</sub> RACT standard of sources firing landfill gas of 2.0 grams per brake horsepower-hour, the facility is required to conduct an emission test under 6NYCRR Part 227-2.6(a)(7). In accordance with this requirement, the facility must:

1) submit a compliance test protocol to the Department for approval at least 30 days prior to emission testing. The conditions of the testing and the locations of the sampling devices must be acceptable to the Department; and

2) utilize the procedures set forth in 40 CFR Part 60, Appendix A or any other method acceptable to the Department and the Administrator for determining compliance with the NO<sub>x</sub> limit of 2.0 grams per brake horsepower-hour, and must, in addition, follow the procedures set forth in 6NYCRR Part 202 as follows:

For stationary internal combustion engines, utilize Method 7, 7E, or 19 from 40 CFR Part 60, Appendix A or another reference method approved by the Department;

3) submit a compliance test report containing the results of the emission test to the Department no later than 60 days after completion of the emission test.

The facility should complete the initial performance test no later than 180 days of startup of the engine plant. The facility must conduct the required emissions test at 100% +/- 10% load on each engine type determined by the Department. The Department will base its decision using the NO<sub>x</sub> emission rates as determined by the portable NO<sub>x</sub> analyzer prior to the emissions test.

Prior to renewal of the Title V permit, the facility must complete a second performance test utilizing procedures for engine selection and testing as described above. This performance test must be completed no later than 180 days prior to expiration of the Title V permit.



**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**

Upper Permit Limit: 2.0 grams per brake horsepower-hour  
Reference Test Method: EPA Method 7, 7E or 19  
Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING  
DESCRIPTION  
Averaging Method: 1-HOUR AVERAGE  
Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 103: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 103.1:**  
The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 008

Regulated Contaminant(s):  
CAS No: 0NY998-20-0    NMOC - LANDFILL USE ONLY

**Item 103.2:**  
Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING  
Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emissions of NMOC by 98% (by weight). Refer to 40CFR 60.754(d) for the specified test methods.

The facility shall complete one performance test during the term of this permit. The facility must conduct the required emissions test at 100% +/- 10% load on one 3520 engine in process 008 determined by the Department. The Department will base its decision using the NOx emission rates as determined by the portable NOx analyzer prior to the emissions test.

Parameter Monitored: NMOC - LANDFILL USE ONLY  
Upper Permit Limit: 20 parts per million by volume (dry,

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



corrected to 3% oxygen)  
Reference Test Method: RM 18, 25, 25A, 25C  
Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT  
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST  
METHOD INDICATED  
Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

**Condition 104: Compliance Certification**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable Federal Requirement: 40CFR 60.752(b)(2)(iii)('B'), NSPS Subpart**

**WWW**

**Item 104.1:**

The Compliance Certification activity will be performed for:

Emission Unit: E-U0001  
Process: 008

Regulated Contaminant(s):  
CAS No: 0NY998-20-0    NMOC - LANDFILL USE ONLY

**Item 104.2:**

Compliance Certification shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING  
Monitoring Description:

The owner or operator of the landfill shall test the control device to verify that the outlet concentration of NMOC from the device is less than 20 parts per million by volume (dry, as hexane, at 3% oxygen), or the owner or operator of the landfill shall test the emissions from the control device to determine that the device is reducing the emissions of NMOC by 98% (by weight). Refer to 40CFR 60.754(d) for the specified test methods.


The facility shall complete one performance test during the term of this permit. The facility must conduct the required emissions test at 100% +/- 10% load on one 3520 engine in process 008 determined by the Department. The Department will base its decision using the NOx emission rates as determined by the portable NOx analyzer prior to the emissions test.

Parameter Monitored: NMOC - LANDFILL USE ONLY  
Upper Permit Limit: 98 percent reduction by weight  
Reference Test Method: RM 18, 25, 25A, 25C

**New York State Department of Environmental Conservation**  
**Permit ID: 8-9908-00162/00043      Facility DEC ID: 8990800162**



Monitoring Frequency: ONCE DURING THE TERM OF THE PERMIT  
Averaging Method: AVERAGING METHOD AS PER REFERENCE TEST  
METHOD INDICATED  
Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



**STATE ONLY ENFORCEABLE CONDITIONS**  
**\*\*\*\* Facility Level \*\*\*\***

**NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS**

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

**Item A: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5**

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

**STATE ONLY APPLICABLE REQUIREMENTS**

The following conditions are state applicable requirements and are not subject to compliance certification requirements unless otherwise noted or required under 6 NYCRR Part 201.

**Condition 105: Contaminant List**  
Effective between the dates of 06/07/2006 and 06/06/2011

**Applicable State Requirement: ECL 19-0301**

**Item 105.1:**

Emissions of the following contaminants are subject to contaminant specific requirements in this



**New York State Department of Environmental Conservation**

**Permit ID: 8-9908-00162/00043**

**Facility DEC ID: 8990800162**



permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY100-00-0

Name: HAP

CAS No: 000074-82-8

Name: METHANE

CAS No: 0NY998-20-0

Name: NMOC - LANDFILL USE ONLY

CAS No: 0NY210-00-0

Name: OXIDES OF NITROGEN

**Condition 106: Unavoidable noncompliance and violations**

**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable State Requirement: 6NYCRR 201-1.4**

**Item 106.1:**

At the discretion of the commissioner a violation of any applicable emission standard for necessary scheduled equipment maintenance, start-up/shutdown conditions and malfunctions or upsets may be excused if such violations are unavoidable. The following actions and recordkeeping and reporting requirements must be adhered to in such circumstances.

(a) The facility owner and/or operator shall compile and maintain records of all equipment maintenance or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the commissioner's representative when requested to do so in writing or when so required by a condition of a permit issued for the corresponding air contamination source except where conditions elsewhere in this permit which contain more stringent reporting and notification provisions for an applicable requirement, in which case they supercede those stated here. Such reports shall describe why the violation was unavoidable and shall include the time, frequency and duration of the maintenance and/or start-up/shutdown activities and the identification of air contaminants, and the estimated emission rates. If a facility owner and/or operator is subject to continuous stack monitoring and quarterly reporting requirements, he need not submit reports for equipment maintenance or start-up/shutdown for the facility to the commissioner's representative.

(b) In the event that emissions of air contaminants in excess of any emission standard in 6 NYCRR Chapter III Subchapter A occur due to a malfunction, the facility owner and/or operator shall report such malfunction by telephone to the commissioner's representative as soon as possible during normal working hours, but in any event not later than two working days after becoming aware that the malfunction occurred. Within 30 days thereafter, when requested in writing by the commissioner's representative, the facility owner and/or operator shall submit a written report to the commissioner's representative describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates. These reporting requirements are superceded by conditions elsewhere in this permit which contain reporting and notification provisions for applicable requirements more stringent than those above.



(c) The Department may also require the owner and/or operator to include in reports described under (a) and (b) above an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions depending on the deviation of the malfunction and the air contaminants emitted.

(d) In the event of maintenance, start-up/shutdown or malfunction conditions which result in emissions exceeding any applicable emission standard, the facility owner and/or operator shall take appropriate action to prevent emissions which will result in contravention of any applicable ambient air quality standard. Reasonably available control technology, as determined by the commissioner, shall be applied during any maintenance, start-up/shutdown or malfunction condition subject to this paragraph.

(e) In order to have a violation of a federal regulation (such as a new source performance standard or national emissions standard for hazardous air pollutants) excused, the specific federal regulation must provide for an affirmative defense during start-up, shutdowns, malfunctions or upsets.

**Condition 107: Air pollution prohibited**  
**Effective between the dates of 06/07/2006 and 06/06/2011**

**Applicable State Requirement: 6NYCRR 211.2**

**Item 107.1:**

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.